



DECK LOG BOOK

U.S.S. _____ ARIKARA

IDENTIFICATION NUMBER

R. M. OLSEN, LT _____, U. S. N.

Attached to { _____ Division,
 _____ Squadron,
 _____ Flotilla,
 Commander Service Force, U. S. Pacific _____ Fleet,
 _____ Naval District,

Commencing 0001, 1 November, 19 ⁶³ ,
(zone time and date)

at Pearl Harbor, Hawaii
(location)

and ending 2400, 30 November, 1963
(zone time and date)

at Pearl Harbor, Hawaii
(location)

NAVY—PEARL HARBOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

ISS ARIKARA ATF-98 ZONE DESCRIPTION +10 W DATE FRI. 1 NOV. 19 63
 (Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	040	4	10	SCT	29.96	80	71	3	1800	CU			
02	040	4	10	SCT	29.96	79	71	3	1800	CU			
03	040	4	10	SCT	29.94	79	71	3	1800	CU			
04	040	3	10	SCT	29.92	79	71	4	1800	CU			
05	040	3	10	SCT	29.92	78	71	4	1800	CU			
06	040	3	10	SCT	29.93	77	71	4	1800	CU			
07	040	4	10	SCT	29.94	77	72	5	1900	CU			
08	040	4	10	SCT	29.96	77	72	5	1800	CU			
09	040	4	10	BKN	29.96	79	74	6	1800	CU	81	060	2
10	040	5	10	BKN	29.94	79	74	6	1800	CU	81	060	2
11	040	5	10	BKN	29.94	79	74	6	1800	CU	81	060	2
12	070	4	10	BKN	29.92	79	74	7	1800	CU			
13	070	4	10	BKN	29.92	79	74	7	1800	CU			
14	070	5	10	BKN	29.91	78	76	9	1800	CU			
15	070	5	10	BKN	29.90	79	74	9	1800	CU			
16	070	5	10	BKN	29.93	79	74	9	1800	CU			
17	080	7	10	BKN	29.95	79	73	8	1900	CU			
18	080	7	10	BKN	29.97	78	72	9	1800	CU			
19	080	5	10	BKN	29.98	78	72	8	1800	CU			
20	080	4	10	BKN	29.98	80	73	7	1800	CU			
21	090	2	10	BKN	30.01	82	74	7	1800	CU			
22	090	2	10	BKN	30.00	80	73	6	1800	CU			
23	090	2	10	BKN	30.00	80	73	6	1800	CU			
24	090	2	10	BKN	30.00	78	71	6	1800	CU			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
 2 - ELECTRONIC
 3 - VISUAL
 4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED
 0000-2400
30

FUEL CONSUMED
 0000-2400
357

REMARKS

ΦΦ-Φ4 Moored stbd. side to berth A-6, U.S. Naval Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet, Yard and District craft. Material Condition Yoke is set. SOPA is COMASWFORPAC.

John Whinn LTJG, USN

Φ4-Φ8 Moored as before. Φ7Φ5 Mustered the crew at quarters. Absentees: none. Φ735 Made daily inspection of magazines and smokeless powder samples. Conditions: normal.

John Whinn LTJG, USN

APPROVED

Carl Olson

U.S.N. COMMANDING

EXAMINED:

A.H. Racette

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ARIKARA ATF-98 Fri. 1 Nov. 63
(Day) (Date) (Month)

08-12 Moored as before. 0805 Set the special sea detail. 0818 Underway for local op-area in accordance with COMFLTRACRU OP-ORDER 44-63. Commenced maneuvering on various courses at various speeds to conform to the channel. 0834 Passed buoys 1 and 2 abeam. 0842 Entered International waters. Ck to 160, speed 12.5 kts. Secured the special sea detail. 0845 Ck to 205. 0847 Ck to 195. 0854 Ck to 8.0 kts. 0900 Commenced conducting antenna radiation test pattern. Commenced maneuvering on various courses to remain on station during test. 1125 1100 Commenced R zone material inspection. 1125 Completed tests. Ck to 035. 1130 Ck to 090. 1133 Ck to 105. 1139 Ck to 080. Ck to 12.5 kts. 1141 Ck to 025. Ck to 8.0 kts. 1145 Ck to 090. Completed zone material inspection. 1148 Ck to 030. 1153 Ck to 340. 1155 Ck to 335. Set the special sea detail. Commenced maneuvering on various courses and speeds to conform to the channel.

A. H. Racette Lt. Comm. USN

12-16 Steaming as before. 1205 Entered Inland waters. 1213 Passed buoys 1 and 2 abeam. 1228 Moored starboard side to berth A-6, U.S. Naval Base, Pearl Harbor, Hawaii with standard mooring lines dished. 1237 Secured the special sea detail.

A. H. Racette Lt. Comm. USN

16-20 Moored as before.

A. H. Racette Lt. Comm. USN

20-24 Moored as before.

A. H. Racette Lt. Comm. USN

APPROVED:

U.S.N. COMMANDING

EXAMINED:

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARIKARA ATF-98 ZONE DESCRIPTION 110W DATE SSAT 2 Nov., 19 63
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	090	2	10	BKN	30.01	78	73	7	1800	CU			
02	090	2	10	BKN	29.98	79	72	7	1800	CU			
03	090	3	10	BKN	29.98	79	72	6	1800	CU			
04	090	3	10	BKN	29.98	79	72	6	1800	CU			
05	090	3	10	BKN	29.99	79	72	6	1800	CU			
06	090	3	10	BKN	29.99	80	72	6	1800	CU			
07	090	3	10	BKN	29.99	80	73	6	1800	CU			
08	090	3	10	BKN	30.02	80	73	6	1800	CU			
09	090	3	10	BKN	30.02	82	74	7	1800	CU			
10	090	3	10	BKN	30.02	85	75	8	1800	CU			
11	090	3	10	BKN	30.02	86	75	8	1800	CU			
12	080	5	10	BKN	30.00	86	75	9	1800	CU			
13	080	5	10	BKN	30.00	90	76	9	1800	CU			
14	080	5	10	BKN	29.98	90	76	8	1800	CU			
15	080	5	10	BKN	29.98	90	76	8	1800	CU			
16	045	5	10	BKN	29.98	86	76	8	1800	CU			
17	045	5	10	BKN	29.98	85	75	8	1800	CU			
18	045	5	10	BKN	29.98	85	73	8	1800	CU			
19	045	5	10	BKN	30.00	85	73	8	1800	CU			
20	045	4	10	BKN	30.00	85	73	8	1800	CU			
21	045	3	10	SCT	30.02	84	73	5	1800	CU			
22	045	3	10	SCT	30.01	84	73	4	1800	CU			
23	045	3	10	SCT	30.01	84	73	4	1800	CU			
24	040	3	10	SCT	29.99	84	73	4	1800	CU			

POSITION ZONE TIME

0800
L _____ BY _____
λ _____ BY _____

1200
L _____ BY _____
λ _____ BY _____

2000
L _____ BY _____
λ _____ BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)

SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400
0

FUEL CONSUMED
0000-2400
294

REMARKS

00-02 Moved stbd. side to berth A-6 U.S. Naval Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving miscellaneous services from the pier. Material condition Yoke is set. Ships present include various units of the U.S. Pacific Fleet Yard and District Craft. SOPA in COMASW FOR PAC.

A. H. Racette Ch Boon USN

04-08 Moved as before.

A. H. Racette Ch Boon USN

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

[Signature]

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ARIKARA ATF98SAT 2 NOV. 63
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 0805 MUSTERED
THE CREW ON STATION. ABSENTEES: NONE.
0926 MADE DAILY INSPECTION OF MAGAZINES
AND SMOKELESS POWDER SAMPLES. CONDITIONS
NORMAL.

E.C. Bach Jr. LTJG. USNR.

12-16 MOORED AS BEFORE.

E.C. Bach Jr. LTJG. USNR.

16-20 MOORED AS BEFORE.

E.C. Bach Jr. LTJG. USNR.

20-24 MOORED AS BEFORE.

E.C. Bach Jr. LTJG. USNR.

APPROVED:

W. H. Olsen

U.S.N. COMMANDING

EXAMINED:

A. H. Racette

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARIKARA ATF-98 ZONE DESCRIPTION H10W DATE SUN. 3 NOV, 19 63
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	040	3	10	BKN	29.99	83	76	7	1800	CU			
02	040	3	10	BKN	29.99	83	76	7	1800	CU			
03	050	3	10	BKN	29.98	82	76	6	1800	CU			
04	050	3	10	BKN	29.98	75	72	6	1800	CU			
05	050	3	10	SCT	29.98	74	71	4	1800	CU			
06	050	3	10	SCT	29.98	73	71	5	1800	CU			
07	045	3	10	SCT	29.98	75	72	5	1800	CU			
08	045	3	10	SCT	30.00	75	72	5	1800	CU			
09	040	3	10	SCT	30.02	86	73	5	1800	CU			
10	040	3	10	SCT	30.02	89	78	5	1800	CU			
11	040	5	10	SCT	30.02	90	78	5	1800	CU			
12	040	6	10	SCT	30.00	89	78	5	1800	CU			
13	040	6	10	BKN	29.98	88	77	9	1800	CU			
14	040	3	10	BKN	29.98	88	77	9	1800	CU			
15	040	3	10	BKN	29.96	88	77	9	1800	CU			
16	040	3	10	BKN	29.96	87	75	9	1800	CU			
17	040	3	10	BKN	29.96	84	73	9	1800	CU			
18	040	3	10	BKN	29.98	80	74	9	1800	CU			
19	040	3	10	BKN	29.99	78	73	9	1800	CU			
20	040	2	10	BKN	30.00	78	73	8	1800	CU			
21	040	2	10	BKN	30.02	78	73	8	1800	CU			
22	040	2	10	BKN	30.03	78	73	8	1800	CU			
23	040	2	10	BKN	30.03	75	72	8	1800	CU			
24	040	2	10	BKN	30.03	79	69	7	1800	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
315

REMARKS

00-04 MOORED STBD. SIDE TO BERTH A6, U.S. NAVAL BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED, RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD, AND HARBOR CRAFT. MATERIAL CONDITION YOKE IS SET THROUGH-OUT THE SHIP. SOPA IS COMASWFORPAC.

04-08 MOORED AS BEFORE.

E. C. Buck Jr. LTJG. USNR.
E. C. Buck Jr. LTJG. USNR.

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

A. H. Rauthe

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ARIKARA ATF-98SUN 3 NOV 63
(Day) (Date) (Month)

08-12 Moored as before 0805 Muster the crew
on station Absentee: ROEBUCK, GERSHON, N. JR.
549-25-46 SA USN. 0830 ROEBUCK, GERSHON, N. JR.
549-25-46 SA USN returned from being AWOL for
30-25 minutes. 0848 Made daily inspection of magazines
and smokeless powder samples, Conditions Normal

B. D. Frank
LTJG, USN.

12-16 Moored as before

B. D. Frank
LTJG, USN.

16-20 Moored as before

B. D. Frank
LTJG, USN.

20-24 Moored as before

B. D. Frank
LTJG, USN.

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

A. H. Laette

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARIKARA ATF-98 ZONE DESCRIPTION +10W DATE MON 4 NOV, 19 63
 (Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	-	0	10	SCT	30.01	79	73	3	1800	CU			
02	-	0	10	SCT	30.00	79	73	4	1800	CU			
03	-	0	10	SCT	29.99	79	73	3	1800	CU			
04	040	2	10	SCT	29.99	72	70	3	1800	CU			
05	040	2	10	SCT	29.99	73	70	3	1800	CU			
06	040	2	10	SCT	29.99	74	70	3	1800	CU			
07	040	2	10	SCT	30.00	75	72	3	1800	CU			
08	040	3	10	SCT	30.02	75	72	4	1800	CU			
09	040	3	10	SCT	30.03	81	74	4	1800	CU			
10	040	4	10	SCT	30.04	82	75	3	1800	CU			
11	080	14	10	SCT	30.04	80	74	4	1800	CU/AS	81	030	3
12	080	11	10	SCT	30.06	78	74	4	1800	CU/AS	81	030	3
13	080	14	10	SCT	30.04	81	75	4	1800	CU/AS	81	030	3
14	080	13	10	SCT	30.04	80	74	4	1800	CU	81	030	3
15	080	10	10	SCT	30.02	78	72	4	1800	CU	81	030	3
16	085	12	10	SCT	30.00	78	73	3	1800	CU	81	060	3
17	085	12	10	SCT	29.98	84	76	4	1800	CU	82	060	3
18	085	14	10	SCT	29.99	81	79	4	1800	CU	82	060	3
19	085	12	10	SCT	30.00	78	74	4	1800	CU	82	075	3
20	085	13	10	SCT	30.02	79	74	4	1800	CU	82	075	4
21	050	13	10	SCT	30.03	78	74	3	1800	CU	82	075	3
22	050	15	10	SCT	30.04	78	74	3	1800	CU	82	075	3
23	050	17	10	SCT	30.04	78	74	3	1800	CU	81	070	3
24	050	17	10	SCT	30.06	78	75	3	1800	CU	81	070	3

POSITION ZONE TIME

0800
L _____ BY _____
λ _____ BY _____

1200
L 21-06.2N BY 3
λ 157-53.7W BY 3

2000
L 21-47.5N BY 3
λ 158-24.5W BY 3

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)

SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L 21-26.8N
MID. λ 158-19.3W

MILES STEAMED
0000-2400
75.5


FUEL CONSUMED
0000-2400
4008

REMARKS

00-04 Moored starboard side to A-6 U.S. Naval Base, Pearl Harbor, Hawaii with standard mooring lines double. Receiving various services from the pier. Material Condition Yoke is set. Ships present include various units of the U.S. Pacific Fleet Yard Harbor, and District Craft. SOPA is COMASWBRAC. SD Frank
LTJG USN.

04-08 Moored as before. 0503 HUDDLE, GLENN, H. 584-79-10 CS.3 USN. was received from custody of HASP. 0705 Mustered the crew of quarters. Absentee: None. 0735 Made daily inspection of magazines and smokeless powder samples. Condition Normal.

APPROVED:



U.S.N. COMMANDING

EXAMINED:

SD Frank LTJG USN.
A.H. Rauthe
U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ARIKARA ATF-98MON 4 NOV 1963
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 0940 SET SPECIAL SEA AND ANCHOR DETAIL. 0955 UNDERWAY FROM BERTH A6, U.S. NAVAL BASE, PEARL HARBOR, HAWAII ENROUTE TO LOCAL OP AREAS IAW COMELTRAGRU PEARL WEEKLY OP ORD 45-63, MANEUVERING VARIOUS COURSES AND SPEEDS TO CONFORM TO THE CHANNEL, SERIES 40 SLED NR. 557 IN TOW. 1014 STEADY CSE. 153° SPD 8.0 KTS. 1033 ENTERED INTERNATIONAL WATERS 1042 STREAMED TARGET SLED TO 1500 YARDS. 1055 C/C TO 165 C/S TO 12.0 KTS.

E.C. Bach LTJG. USNR.

12-16 STEAMING AS BEFORE. 1304 C/C TO 000. 1311 C/C TO 345. 1320 C/S TO 12.0 KTS. 1346 C/S TO 8.0 KTS. 1354 C/C TO 250. 1407 C/C TO 145. 1412 C/C TO 165. 1536 C/C TO 160.

R.M. Markee, Ensign, USNR

16-20 Steaming as before. 1610 C/C to 140, C/S to 12 KT. 1702 C/C to 135. 1727 C/C to 125. Commenced exercise Z-25-G with HMS TARANAKI (F-148). 1731 C/C to 135. 1810 Secured from Z-25-G with HMS TARANAKI (F-148). 1845 C/C to 315. 1954 Commenced exercise Z-26-G with HMS TARANAKI (F-148)

HMD25

W.H. White LTJG, USN

20-24 STEAMING AS BEFORE. 2008 SECURED FROM EXERCISE Z-26-G WITH HMS TARANAKI (F-148). 2019 HEAVING IN ON TARGET SLED TO 1300 FT. 2057 C/C TO 342 C/S TO 6.0 KTS. 2325 SIGHTED DIAMOND HEAD LIGHT BEARING 014°, DIST. 20 MI.

E.C. Bach LTJG. USNR

APPROVED:

Paul Olsen

EXAMINED:

A.H. Facette

U.S.N. COMMANDING

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET - TYPE B

 USS ARIKARA ATF-28 ZONE DESCRIPTION +10W DATE TUE 5 NOV, 19 63
 (Day) (Date) (Month)
AT/PASSAGE FROM LOCAL OP-AREAS TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	067	20	10	SCT	30.06	77	74	3	2500	CU	81	070	3
02	070	19	10	SCT	30.05	78	74	3	2500	CU	81	070	3
03	100	13	10	SCT	30.05	77	74	3	2500	CU	81	070	3
04	065	15	10	SCT	30.02	77	74	3	2500	CU	80	060	3
05	070	12	10	SCT	30.03	78	74	3	2500	CU	80	060	3
06	070	7	10	SCT	30.05	79	74	3	2500	CU	80	060	2
07	070	7	10	SCT	30.05	80	74	3	2500	CU	80	060	2
08	050	8	10	SCT	30.07	81	75	4	2500	CU	82	070	2
09	050	9	10	SCT	30.08	83	75	3	2500	CU	82	070	2
10	045	14	10	SCT	30.09	79	75	4	2500	CU	81	070	4
11	070	19	10	SCT	30.09	79	74	4	2500	CU	80	070	5
12	075	14	10	SCT	30.06	79	73	4	2500	CU	81	070	6
13	075	15	10	SCT	30.04	79	73	4	2500	CU	81	070	6
14	080	16	10	SCT	30.03	79	74	4	2500	CU	81	070	4
15	080	17	10	SCT	30.02	78	74	4	2500	CU	81	070	5
16	080	19	10	SCT	30.02	78	74	3	2500	CU	82	070	5
17	080	26	10	SCT	30.02	80	75	4	2500	CU	82	070	5
18	085	26	10	SCT	30.04	80	72	3	2500	CU	82	080	3
19	060	24	10	SCT	30.05	78	72	3	2500	CU	82	080	3
20	060	15	10	SCT	30.06	78	72	3	2500	CU	82	080	2
21	060	6	10	SCT	30.06	79	72	3	2500	CU			
22	060	5	10	SCT	30.08	80	72	3	2500	CU			
23	060	5	10	SCT	30.09	80	71	3	2500	CU			
24	060	5	10	SCT	30.09	82	71	3	2500	CU			

POSITION	ZONE	TIME
0800		
L <u>21-18.6 N</u>	BY <u>3</u>	
λ <u>158-09.7 W</u>	BY <u>3</u>	
1200		
L <u>21-37 N</u>	BY <u>3</u>	
λ <u>158-34 W</u>	BY <u>3</u>	
2000		
L <u>21-16 N</u>	BY <u>3</u>	
λ <u>157-56.5 W</u>	BY <u>3</u>	

 LEGEND: 1 - CELESTIAL
 2 - ELECTRONIC
 3 - VISUAL
 4 - D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L <u>21-17.3 N</u>	
MID. λ <u>158-02.1 W</u>	

MILES STEAMED 0000-2400
<u>110</u>

FUEL CONSUMED 0000-2400
<u>1,638</u>

REMARKS

00-04 STEAMING INDEPENDENTLY OFF SOUTH COAST OF OAHU,
 HAWAII I.A.W. COMFLETRAGRU OP-ORD 45-63 ON COURSE 342
 SPD 6.0 KTS. NOS 1 AND 3 MAIN GENERATORS AND NO. 1
 AUXILIARY GENERATOR ARE ON PROPULSION LOOP. SERIES 40
 SLED # 557 IN TOW ASTERN ON 1300 FEET OF WIRE. MATERIEL
 CONDITION YOKÉ SET THROUGHOUT SHIP. 0020 C/C TO 005. 0230
 C/C TO 4.0 KTS. C/C TO 010. 0356 C/C TO 180

R.M. Manker, Ensign, USNR

04-08 Steaming as before. 0423 1/2 to 012. 0450 1/2 to 000. 1/2 to 8KT. 0503 1/2 to 4KT. 0536
 1/2 to 337. 1/2 to 8KT. Set Special Sea and Anchor Detail. 0540 1/2 to 4KT, heaved around sled to 300ft.
 0543 Entered Inland Waters, maneuvering at various courses and speeds to conform with channel.
 0555 Bumps 1 and 2 abeam. 0610 Heaved in sled to close up astern. 0618 Moored pt. side to USS CURRENT (ARS-22) at
 berth A-5, U.S. Naval Base, Pearl Harbor, Hawaii. 0621 Series 40 target sled 557 cast off astern to yard tug.
 0635 Underway from berth A-5, U.S. Naval Base, Pearl Harbor, Hawaii to local operating —

APPROVED:

U.S.N. COMMANDING

EXAMINED:

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP

ARIKARA (ATF-98)

TUE 5 NOV 1963
(Day) (Date) (Month)

04-08 Continued — areas in accordance with COMFLETRAGRU PEARL, OPOD 45-63. Steaming at various courses and speeds to conform with channel. 0652 Buoys 1 and 2 abeam. 0700 Entered International Waters on cs 267, sp 13.5 KT. 0730 Made daily inspection of magazines and smokeless powder samples. Conditions: normal. 0743 1/2 to 315.

J. H. Whinn LTJG, USN

08-12 Steaming as before. 0805 Mustered the crew on station. Absences: none. 0959 1/2 to 4 KT. 1109 1/2 to 135.

J. H. Whinn LTJG, USN

12-16 Steaming as before. 1202 1/2 to 160. 1210 1/2 to 6 KT. Streamed towed spars to 1200 ft. 1222 Commenced exercise A-50/51-U with aircraft of PATRON 22. 1238 1/2 to 340. 1402 Secured from exercise A-50/51-U. 1/2 to 160. 1427 1/2 to 4 KT. 1518 1/2 to 340, 1/2 to 6 KT. 1528 Commenced exercise A-50/51-U with aircraft of PATRON 22. +6

J. H. Whinn LTJG, USN

16-20 Steaming as before. 1619 Secured from exercise A-50/51-U. 1620 1/2 to 4 KT, heaved in towed spars aboard. 1629 1/2 to 160, 1/2 to 12 KT. 1631 1/2 to 14.6 KT. 1648 1/2 to 130. 1811 Sighted Barbours Pt. light bearing 199, range about 15 mi. 1909 1/2 to 087. 1943 1/2 to 12 KT. 1955 1/2 to 330. Set Special Sea and Anchor Detail. 1957 Entered Inland Waters. Steaming at various courses and speeds to conform with channel.

J. H. Whinn LTJG, USN

20-24 Steaming as before. 2007 Buoys 1 and 2 abeam. 2020 Moored port side to USS CURRENT (ARS-22) at berth A-5, U.S. Naval Base, Pearl Harbor, Hawaii with standard mooring lines doubled. 2042 Secured Special Sea and Anchor Detail.

J. H. Whinn LTJG, USN

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

A. H. Racette

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARIKARA ATF-98 ZONE DESCRIPTION TIDW DATE WED 6 NOV, 19 63
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	060	5	10	SCT	30.03	80	75	4	2000	CU			
02	060	5	10	SCT	30.03	80	75	4	2000	CU			
03	060	4	10	SCT	30.02	79	73	4	2000	CU			
04	060	4	10	SCT	30.02	78	73	4	2000	CU			
05	060	3	10	SCT	30.02	78	73	5	2000	CU			
06	065	16	10	SCT	30.04	78	73	4	2000	CU	81	070	3
07	065	16	10	SCT	30.06	79	74	3	2000	CU	81	070	3
08	065	16	10	SCT	30.08	79	74	3	2000	CU	81	070	3
09	065	14	10	SCT	30.09	79	74	3	2000	CU	81	075	3
10	072	23	10	SCT	30.09	79	74	5	2000	CU	81	075	4
11	076	14	10	SCT	30.08	81	75	4	2000	CU	81	075	3
12	067	20	10	SCT	30.08	80	74	3	2000	CU	81	065	3
13	063	23	10	SCT	30.07	81	75	3	2000	CU	81	060	4
14	062	16	10	SCT	30.05	81	75	4	2000	CU	81	080	3
15	045	18	10	SCT	30.03	79	74	4	2000	CU	81	075	4
16	043	17	10	SCT	30.01	80	74	4	2000	CU	81	075	4
17	043	18	10	SCT	30.01	79	74	4	2000	CU	81	075	4
18	043	18	10	SCT	30.03	78	73	4	2000	CU	81	070	4
19	070	18	10	SCT	30.04	79	74	4	2000	CU	81	060	3
20	065	11	10	SCT	30.07	79	74	3	2000	CU	81	060	2
21	065	12	10	SCT	30.08	78	74	5	2000	CU	80	060	2
22	065	12	10	SCT	30.08	78	74	5	2000	CU			
23	040	4	10	SCT	30.07	77	74	5	2000	CU			
24	040	2	10	SCT	30.06	77	74	5	2000	CU			

POSITION	ZONE	TIME
0800		
L <u>21-06 N</u>	BY <u>3</u>	
λ <u>158-04 W</u>	BY <u>3</u>	
1200		
L <u>20-53.5 N</u>	BY <u>2</u>	
λ <u>158-23 W</u>	BY <u>2</u>	
2000		
L <u>21-13.6 N</u>	BY <u>3</u>	
λ <u>158-00 W</u>	BY <u>3</u>	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L <u>21-09.3 N</u>	
MID. λ <u>158-02 W</u>	

MILES STEAMED 0000-2400
<u>115</u>

FUEL CONSUMED 0000-2400
<u>1,281</u>

REMARKS

ΦΦ-Φ4 Moored port side to USS CURRENT (ARS-22) at berth A-5, U.S. Naval Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet, Yard and District craft. Material Condition Yoke is set. SDPA is COMASWFORPAC.

J. H. White - LTJG, USN

Φ4-Φ8 MOORED AS BEFORE. Φ535 MUSTERED CREW AT QUARTERS. ABSENTEES: NONE. Φ537 SET SPECIAL SEA AND ANCHOR DETAIL. Φ553 UNDERWAY FROM ALONGSIDE U.S.S. CURRENT (ARS22) AT BERTH A5. ENROUTE TO LOCAL OP AREAS IAW COMFLETRAGRU WEEKLY OP

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

A. H. Racette

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ARIKARA ATF-98WED 6 NOV 1963
(Day) (Date) (Month)

04-08 (CON) ORD 45-63, MANEUVERING ON VARIOUS CSES. AND SPDS. TO CLEAR BERTH AND CONFORM TO CHANNEL, WITH SERIES 40 SLED NR. 549 IN TOW. 0609 STEADY CSE. 153 SPD 6.0 KTS. 0629 ENTERED INTERNATIONAL WATERS. 0649 TARGET STREAMED TO 1500 YDS. ASTERN. 0652 C/S TO 12.0 KTS. C/C TO 215°. 0740 C/C TO 210°.

E.C. Buch LTJG. USNR.

08-12 STEAMING AS BEFORE. 0800 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. 0837 C/C TO 225. 0937 C/C TO 240. 1037 COMMENCE EXERCISE Z-27-G RM WITH U.S.S. MANATEE (AO-58). 1050 COMPLETED EXERCISE Z-27-G. 1130 C/S TO 12.0 KTS. 1140 C/C TO 080. 1155 C/S TO 6.0 KTS.

R.M. Mukee, Ensign, USNR

12-16 Steaming as before. 1255 1/2 to 260. 1309 1/2 to 12 KT. 1313 1/2 to 090. 1326 1/2 to 7 KT. 1344 Commenced exercise Z-24-G with U.S.S. EVANS (DD-754) and U.S.S. WATKINS (DD-723). 1537 1/2 to 243. Secured from exercise Z-24-G.

J.H. White LTJG, USN

16-20 STEAMING AS BEFORE. 1621 C/S TO 12.0 KTS C/C TO 060. 1634 C/S TO 8.0 KTS. 1644 COMMENCED SVCS. TO U.S.S. LARSON (DD830) FOR EXERCISE Z-23-G. 1708 C/C TO 035. SECURED FROM EXERCISE. 1715 C/S TO 10.0 KTS. 1900 C/C TO 045.

E.C. Buch LTJG. USNR.

20-24 Steaming as before. 2023 C/S to 4.0 kts. 2024 Heaved in target sled to 800 ft. astern. 2054 C/S to 8.0 kts. 2058 C/C to 335. Set the special sea detail. Commenced maneuvering on various courses and speeds to conform to the channel. 2103 Entered Inland water 2106 Heaved in target to 400 ft. astern. 2118 Passed buoys 1 and 2 abeam. 2132 Heaved in target to 100 ft. astern. 2138 Heaved in target close up astern. 2140 Made port side to U.S.S. Current (ARS-22) at berth A-5, U.S. Naval Base, Pearl Harbor, Hawaii. with standard mooring lines doubled. 2148 Secured the special sea detail.

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

A.H. Lavette LtBrn USN

A.H. Lavette

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARIKARA ATF-98 ZONE DESCRIPTION +10W DATE THUR 7 NOV, 19 63
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry bulb	Wet bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	040	4	10	SCT	30.04	79	76	5	1800	CU			
02	040	4	10	SCT	30.03	79	76	5	1800	CU			
03	040	5	10	SCT	30.02	79	76	5	1800	CU			
04	040	5	10	SCT	30.00	79	76	5	1800	CU			
05	040	5	10	SCT	30.01	79	76	5	1800	CU			
06	040	3	10	SCT	30.02	79	76	2	1800	CU			
07	040	2	10	SCT	30.02	80	77	2	1800	CU			
08	020	2	10	SCT	30.06	85	79	4	1800	CU			
09	020	1	10	SCT	30.08	90	83	3	1800	CU			
10	020	1	10	SCT	30.09	93	87	3	1800	CU			
11	020	2	10	SCT	30.08	93	87	3	1800	CU			
12	020	2	10	SCT	30.06	93	87	3	1800	CU			
13	020	2	10	SCT	30.04	93	87	3	1800	CU			
14	020	2	10	SCT	30.02	81	75	3	1800	CU			
15	020	2	10	SCT	30.01	80	74	3	1800	CU			
16	020	2	10	SCT	30.01	80	74	3	1800	CU			
17	020	2	10	SCT	30.01	79	74	3	1800	CU			
18	020	2	10	SCT	30.02	79	74	3	1800	CU			
19	020	2	10	SCT	30.03	78	73	3	1800	CU			
20	020	2	10	SCT	30.02	78	71	3	1800	CU			
21	020	2	10	SCT	30.02	79	72	3	1800	CU			
22	020	2	10	SCT	30.03	79	72	3	1800	CU			
23	020	2	10	SCT	30.03	78	71	3	1800	CU			
24	020	2	10	SCT	30.02	78	71	3	1800	CU			

POSITION ZONE TIME

0800
L _____ BY _____
λ _____ BY _____

1200
L _____ BY _____
λ _____ BY _____

2000
L _____ BY _____
λ _____ BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)

SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400
0

FUEL CONSUMED
0000-2400
400

REMARKS

00-04 Moored port side to U.S.S. Current (AKS-22) at berth A-5, U.S. Naval Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving miscellaneous services from the pier. Material condition Yoke is set. Ships present include various units of the U.S. Pacific Fleet Yard and district craft. SOPA is COMASWFORPAC.

A. H. Racette Lt. Brown USN

04-08 Moored as before.

A. H. Racette Lt. Brown USN

APPROVED:

[Signature]
U.S.N. COMMANDING

EXAMINED:

[Signature]
U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ARIKARA ATF-98THURS 7
FRI
(Day)8
(Date)NOV, 1963
(Month)

~~04-08~~ 08-12 MOORED AS BEFORE. 0805 MUSTERED THE CREW ³⁸
AT QUARTERS. ABSENTEES: NONE. 0830 MADE DAILY INSPECTION
OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS
NORMAL. MADE WEEKLY TEST OF MAGAZINE SPRINKLING SYSTEM.
TEST SATISFACTORY.

E. C. Bach LTJG. USNR.

12-16 MOORED AS BEFORE.

E. C. Bach LTJG. USNR.

16-20 MOORED AS BEFORE.

E. C. Bach LTJG. USNR.

20-24 MOORED AS BEFORE.

E. C. Bach LTJG. USNR.

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

A. H. Laretto

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARVAKARA ATF-78 ZONE DESCRIPTION +10W DATE FRI 8 NOV 63
 (Day) (Date) (Month)
 AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	020	2	10	SCT	30.02	77	70	3	1800	CU			
02	020	2	10	SCT	30.01	77	69	3	1800	CU			
03	020	2	10	SCT	30.01	75	69	3	1800	CU			
04	020	2	10	SCT	30.01	75	69	3	1800	CU			
05	020	2	10	SCT	30.00	77	70	3	1800	CU			
06	020	2	10	SCT	30.00	76	70	3	1800	CU			
07	020	5	10	SCT	30.01	77	70	3	1800	CU			
08	050	8	10	SCT	30.04	77	70	4	1800	CU			
09	050	12	10	SCT	30.07	78	73	4	1800	CU	80	075	3
10	050	18	10	SCT	30.06	79	74	3	1800	CU	80	070	3
11	050	14	10	SCT	30.05	78	73	4	1800	CU	80	050	3
12	046	16	10	SCT	30.05	80	75	4	1800	CU	81	050	3
13	050	15	10	SCT	30.04	81	76	4	1800	CU	81	050	3
14	020	12	10	SCT	30.03	81	76	4	1800	CU	81	020	3
15	025	14	10	SCT	30.04	81	75	4	1800	CU	81	020	3
16	025	12	10	SCT	30.03	83	75	4	1800	CU	80	020	3
17	025	4	10	SCT	30.00	83	74	4	1800	CU			
18	025	4	10	SCT	30.00	83	74	4	1800	CU			
19	025	4	10	SCT	30.00	83	73	4	1800	CU			
20	045	4	10	SCT	30.00	80	72	4	1800	CU			
21	045	4	10	SCT	30.02	80	72	4	1800	CU			
22	045	3	10	SCT	30.02	79	71	4	1800	CU			
23	045	2	10	SCT	30.02	79	71	4	1800	CU			
24	045	2	10	SCT	30.02	79	71	4	1800	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L <u>20-47 N</u>	BY <u>3</u>	
λ <u>157-45 W</u>	BY <u>3</u>	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
 2 - ELECTRONIC
 3 - VISUAL
 4 - D. R.

CURRENT DATA		
FROM _____	(ZT)	(Date)
TO _____	(ZT)	(Date)
SET _____		
DRIFT _____		
POSITION BETWEEN FIXES		
MID. L _____		
MID. λ _____		

MILES STEAMED
0000-2400

80

FUEL CONSUMED
0000-2400

1,000

REMARKS

00-04 MOORED PORT SIDE TO U.S.S. CURRENT (ARS-22) AT BERTH A5, U.S. NAVAL BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED, RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. MATERIAL CONDITION YOKE IS SET THROUGHOUT THE SHIP. SOPA IS COMASWFORPAC.

04-08 MOORED AS BEFORE. 0705 MUSTERED THE CREW AT QUARTERS ABSENTEES: NONE. 0707 SET SPECIAL SEA AND ANCHOR DETAIL. 0734 UNDERWAY FROM ALONGSIDE U.S.S. CURRENT (ARS 22) AT BERTH A5 ENROUTE TO LOCAL OP AREAS, WITH SERIES 40 SLED NR. 549 IN TOW, 1AW COMFLETRAGRU PEARL WEEKLY OPORD 45-63 MANEUVERING VARIOUS CSES. AND SPDS. TO CLEAR BERTH AND CONFORM TO THE CHANNEL. 0739 SLED STREAMED TO 400 FT. 0748 STEADY CSE. 154; SPD. 8.0 KTS.

APPROVED:

U.S.N. COMMANDING

EXAMINED:

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ARIKARA ATF 98FRI 8 NOV 63
(Day) (Date) (Month)

08-12 Steaming as before. 0810 Entered International Waters. 4/8 to 6 KT. Streamed sled to 3,000 ft. 0821 1/2 to 165, 4/8 to 12 KT. 0826 Made daily inspection of magazines and smokeless powder samples. Conditions: normal. 0841 1/2 to 160. 1023 1/2 to 180. 1112 1/2 to 090, 4/8 to 5 KT.

J. Whinn LTJG, USN

12-16 STEAMING AS BEFORE. 1212 COMMENCED SERVICES TO U.S.S. CURRENT (ARS 22) FOR EXERCISE Z-30-G ON BASE CSE. 090. SPD 5.0 KTS. 1231. SECURED FROM EXERCISE. 1235 C/C TO 320 C/S TO 10.0 KTS. 1245 C/C TO 340° 1500 C/C TO 000. 1520 C/C TO 340. 1540 1/2 to 40 KTS. HEAVED IN ON SLED TO 800'. 1544 1/2 to 6.0 KTS.

E. C. Buch LTJG, USNR

16-20 STEAMING AS BEFORE. 1605 1/2 to 333°. 1610 1/2 to 8.0 KTS. 1619 SET SPECIAL SEA AND ANCHOR DETAIL. 1624 ENTERED INLAND WATERS. COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS CONFORMING TO PEARL HARBOR CHANNEL. 1641 PASSED BOUYS #1 AND #2 ABEAM. 1654 HEAVED IN SLED TO 100 FEET. 1659 SLED HEAVED IN CLOSE ASTERN. 1704 MOORED PORT SIDE TO BERTH A-5, U.S. NAVAL BASE, PEARL HARBOR, HAWAII. 1709 SECURED SPECIAL SEA AND ANCHOR DETAIL.

R. M. Markes Ensign, USNR

20-24 Moored as before

B. J. Smith
LTJR USN

APPROVED:

Miller

U.S.N. COMMANDING

EXAMINED:

A. H. Racette

U.S.N. NAVIGATOR

DECK LOG SHEET - TYPE B

USS ARIKARA ATF98 ZONE DESCRIPTION 110W DATE SAT 9 NOV., 19 63
(Day) (Date) (Month)
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	050	3	10	BKN	30.00	76	71	6	1800	CU			
02	050	3	10	BKN	29.98	76	71	6	1800	CU			
03	050	3	10	BKN	29.96	76	71	6	1800	CU			
04	050	3	10	SCT	29.97	76	71	4	1800	CU			
05	040	2	10	SCT	29.98	77	71	4	1800	CU			
06	040	1	10	SCT	29.98	78	72	4	1800	CU			
07	040	2	10	SCT	29.97	82	74	4	1800	CU			
08	090	4	10	SCT	29.99	84	76	4	1800	CU			
09	090	3	10	SCT	29.99	84	76	4	1800	CU			
10	090	3	10	SCT	29.99	85	76	4	1800	CU			
11	040	3	10	SCT	29.99	86	76	4	1800	CU			
12	040	3	10	SCT	29.99	86	76	4	1800	CU			
13	040	3	10	SCT	29.98	88	76	4	1800	CU			
14	040	3	10	SCT	29.96	89	77	4	1800	CU			
15	040	3	10	SCT	29.96	89	78	4	1800	CU			
16	040	5	10	BKN	29.94	89	78	7	1800	SC/CU			
17	040	4	10	SCT	29.92	86	77	5	1800	CU			
18	040	4	10	SCT	29.92	85	76	5	1800	CU			
19	040	3	10	SCT	29.94	84	76	5	1800	CU			
20	040	2	10	SCT	29.96	83	75	4	1800	CU			
21	040	2	10	SCT	29.95	82	75	4	1800	CU			
22	040	2	10	SCT	29.94	80	74	4	1800	CU			
23	040	3	10	SCT	29.94	80	74	4	1800	CU			
24	040	4	10	SCT	29.94	80	74	4	1800	CU			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
315

REMARKS

00-04 Moored port side to A-5 U.S. Naval Base Pearl Harbor Haven with standard mooring lines doubled. Material conditions good is not ship's present include various units of the U.S. Pacific Fleet, Yard, Station, and District Cwp. Receiving various services from its pier. SOPs in COMASWPORTAC.

B.D. Brink LTJG USN.

04-08 Moored as before 0729 Made daily inspection of magazines and smokeless powder supplies, Condition Normal.

B.D. Brink
LTJG USN.

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

[Signature]

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ARIKARA ATF-98

SAT 9 NOV 1963
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 0805 MUSTERED CREW ON STATION.
ABSENTEES: NONE.

R. M. Marker, Ensign, USNR

12-16 MOORED AS BEFORE.

R. M. Marker, Ensign, USNR


16-20 MOORED AS BEFORE.

R. M. Marker, Ensign, USNR

20-24 MOORED AS BEFORE.


R. M. Marker, Ensign, USNR

APPROVED:



U.S.N. COMMANDING

EXAMINED:



U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET - TYPE B

USS ARIKARA ATF-98 ZONE DESCRIPTION TIOW DATE SUN 10 NOV, 19 63
 (Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	040	4	10	SCT	29.94	79	74	4	1800	CU			
02	040	4	10	SCT	29.93	78	74	4	1800	CU			
03	040	4	10	SCT	29.93	78	74	4	1800	CU			
04	040	4	10	SCT	29.92	78	74	4	1800	CU			
05	040	4	10	SCT	29.90	78	74	4	1800	CU			
06	040	4	10	SCT	29.90	78	74	4	1800	CU			
07	040	4	10	SCT	29.94	80	74	4	1800	CU			
08	040	4	10	SCT	29.97	78	72	4	1800	CU			
09	040	4	10	SCT	29.97	78	72	4	1800	CU			
10	040	4	10	SCT	29.98	82	72	4	1800	CU			
11	040	4	10	SCT	29.96	85	72	4	1800	CU			
12	020	4	10	SCT	29.94	90	83	4	1800	CU			
13	020	4	10	SCT	29.92	91	84	4	1800	CU			
14	020	3	10	BKN	29.90	90	83	6	1800	CU			
15	040	3	10	BKN	29.91	91	84	6	1800	CU			
16	040	3	10	BKN	29.91	90	83	6	1800	CU			
17	040	3	10	BKN	29.91	90	83	6	1800	CU			
18	040	3	10	BKN	29.91	80	73	6	1800	CU			
19	040	3	10	BKN	29.91	80	73	6	1800	CU			
20	040	5	10	SCT	29.93	74	72	5	1800	CU			
21	040	5	10	SCT	29.93	73	72	5	1800	CU			
22	040	5	10	SCT	29.94	73	72	5	1800	CU			
23	040	5	10	SCT	29.94	73	71	5	1800	CU			
24	040	4	10	SCT	29.93	75	72	4	1800	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
 2 - ELECTRONIC
 3 - VISUAL
 4 - D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
231

REMARKS

00-04 MOORED PORT SIDE TO BERTH A-5 U.S. NAVAL BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMASWFORPAC WITH OFFICES ASHORE. MATERIAL CONDITION YOKE IS SET THROUGHOUT THE SHIP.

R.M. Marker, Ensign, USNR

04-08 MOORED AS BEFORE.

R.M. Marker, Ensign, USNR

APPROVED

[Signature]
 U.S.N. COMMANDING

EXAMINED:

[Signature]
 U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ARIKARA ATF-98SUN 10 NOV, 1963
(Day) (Date) (Month)

08-12 Moored as before. 0805 Mustered the crew on stations.
Absentees: none. 0920 Made daily inspection of magazines and
smokeless powder samples. Conditions: normal.

J. M. Whinn LTJG, USN

12-16 Moored as before.

J. M. Whinn LTJG, USN


16-20 Moored as before.

J. M. Whinn LTJG, USN

20-24 Moored as before.


J. M. Whinn LTJG, USN

APPROVED:



U.S.N. COMMANDING

EXAMINED:



U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARIKARA ATF-98 ZONE DESCRIPTION +10W DATE MON 11 NOV, 19 63
(Day) (Date) (Month)AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	030	4	10	BKN	29.94	79	71	6	1800	CU			
02	030	4	10	BKN	29.94	79	71	6	1800	CU			
03	030	4	10	BKN	29.94	79	71	6	1800	CU			
04	030	4	10	SCT	29.93	79	71	5	1800	CU			
05	030	4	10	SCT	29.93	79	71	5	1800	CU			
06	030	4	10	SCT	29.94	77	70	5	1800	CU			
07	030	4	10	SCT	29.96	79	72	5	1800	CU			
08	030	4	10	SCT	29.96	79	72	5	1800	CU			
09	030	4	10	SCT	29.97	79	72	4	1800	CU			
10	030	4	10	SCT	29.99	84	79	4	1800	CU			
11	030	4	10	SCT	29.98	88	83	4	1800	CU			
12	070	3	10	SCT	29.98	92	85	5	1800	CU			
13	070	3	10	SCT	29.96	92	85	4	1800	CU			
14	070	3	10	SCT	29.94	92	85	3	1800	CU			
15	070	3	10	SCT	29.92	92	85	3	1800	CU			
16	045	4	10	SCT	29.92	87	72	3	1800	CU			
17	045	3	10	SCT	29.92	84	71	3	1800	CU			
18	045	3	10	SCT	29.92	81	71	3	1800	CU			
19	045	3	10	SCT	29.94	75	72	3	1800	CU			
20	045	3	10	SCT	29.96	75	72	3	1800	CU			
21	045	3	10	SCT	29.96	75	72	3	1800	CU			
22	045	2	10	SCT	29.96	75	72	3	1800	CU			
23	045	2	10	SCT	29.98	75	69	3	1800	CU			
24	045	2	10	SCT	29.98	75	69	3	1800	CU			

POSITION ZONE TIME

0800
L _____ BY _____
λ _____ BY _____

1200
L _____ BY _____
λ _____ BY _____

2000
L _____ BY _____
λ _____ BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)

SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400
0

FUEL CONSUMED
0000-2400
300

REMARKS

ΦΦ-Φ4 Moored port side to berth A-5, U.S. Naval Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet, Yard and District Craft. Material Condition Yoke is set. SOPA is COMASWFORPAC.

J. M. Whinn LTJG, USN

Φ4-Φ6 Moored as before.

J. M. Whinn LTJG, USN

APPROVED:

W. J. O'Leary
U.S.N. COMMANDING

EXAMINED:

G. H. Racette
U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ARIKARA ATF-98NOV 11 NOV, 1963
(Day) (Date) (Month)

08-12 Moored as before. 0805 Mustered the crew on station. Absentees: none. 0850 Made daily inspection of magazines and smokeless powder samples. Conditions normal.

A. H. Racette Ch Bosn USN

12-16 Moored as before.

A. H. Racette Ch Bosn USN


16-20 Moored as before.

A. H. Racette Ch Bosn USN

20-24 Moored as before.


A. H. Racette Ch Bosn USN

APPROVED:



U.S.N. COMMANDING

EXAMINED:



U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARIKARA ATF-98 ZONE DESCRIPTION +10W DATE TUE 12 NOV, 19 63
 (Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO —

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES		POSITION	ZONE	TIME	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)				
01	050	2	10	SCT	29.98	75	69	4	1800	CU							
02	050	2	10	SCT	29.98	75	69	4	1800	CU							
03	050	2	10	SCT	29.96	75	69	4	1800	CU							
04	045	2	10	SCT	29.96	75	69	4	1800	CU							
05	045	2	10	SCT	29.96	74	69	3	1800	CU							
06	045	2	10	SCT	29.98	75	70	3	1800	CU							
07	045	2	10	SCT	30.00	75	70	3	1800	CU							
08	045	2	10	SCT	30.00	79	72	3	1800	CU							
09	040	4	10	SCT	30.02	85	74	3	1800	CU							
10	040	5	10	SCT	30.00	90	77	5	1800	CU							
11	080	5	10	SCT	29.98	92	79	5	1800	CU							
12	080	6	10	SCT	29.99	92	79	5	1800	CU							
13	080	6	10	SCT	29.97	93	79	5	1800	CU							
14	080	6	10	SCT	29.95	91	84	5	1800	CU							
15	080	6	10	SCT	29.94	89	84	5	1800	CU							
16	040	6	10	SCT	29.95	86	84	5	1800	CU							
17	040	4	10	SCT	29.94	86	84	5	1800	CU							
18	040	4	10	SCT	29.94	80	72	5	1800	CU							
19	040	2	10	SCT	29.94	79	72	5	1800	CU							
20	—	0	10	SCT	29.97	79	72	5	1800	CU							
21	—	0	10	SCT	29.99	79	72	5	1800	CU							
22	—	0	10	SCT	29.99	79	72	5	1800	CU							
23	—	0	10	SCT	30.00	79	72	5	1800	CU							
24	—	0	10	SCT	30.00	79	72	5	1800	CU							

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)

SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400
3

FUEL CONSUMED 0000-2400
(BY INVENTORY)
5,343

REMARKS

00-04 Moored port side to berth A-5 U.S. Naval Base Pearl Harbor Hawaii with standard mooring lines doubled. U.S.S. Current (AR-5 (AR-22)) is moored alongside to stbd. Receiving miscellaneous services from the pier. Material condition of ke is set. Ships present include various units of the U.S. Pacific Fleet, Yard and District Craft. SOPA is COM ASW FOR PAC.

A. H. Rauthe Ch Bosn USN

04-08 Moored as before. 0705 Mustered the crew at quarters. Absentees: none. 0745 Made daily inspection of magazines and smokeless powder samples. Conditions normal.

A. H. Rauthe Ch Bosn USN

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

[Signature]

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ARIKARA ATF-98TUE 12 NOV, 1963
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 0805 USS CURRENT (AR522) UNDERWAY FROM ALONGSIDE. 0942 SET SPECIAL SEA AND ANCHOR DETAIL. 0956 UNDERWAY FROM BERTH A5 ENROUTE TO BERTH S-17 AFT IAW VERBAL ORDERS, COMNAVBASE, PEARL MANEUVERING ON VARIOUS COURSES AND SPEEDS TO CONFORM TO THE CHANNEL. 1024 MOORED PORTSIDE TO BERTH S17 AFT, U.S. NAVAL BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. 1030 SECURED FROM SPECIAL SEA AND ANCHOR DETAIL. 1127 THE COMMANDING OFFICER HELD MAST AND IMPOSED NON-JUDICIAL PUNISHMENT AS FOLLOWS: ROEBUCK, G(n), JR 549 2546 USN SA, USN, ⁸⁸ OFFENSE: AWOL FROM 0805, 3 NOV 63 TO 0830, 3 NOV 63, A PERIOD OF TWENTY-FIVE (25) MINUTES. PUNISHMENT: RESTRICTION TO THE LIMITS OF THE SHIP FOR SEVEN (7) DAYS COMMENCING 12 NOV 63; SCHIRMER, T.A 597 04 69 SN, USN, OFFENSE: SLEEPING ON WATCH, PUNISHMENT: AWARDED SUMMARY COURT MARTIAL

E. J. Bach LTJG. USNR.

12-16 MOORED AS BEFORE.

E. J. Bach LTJG. USNR.

16-20 MOORED AS BEFORE. ~~SO~~ 2000 SOPA ⁸⁸ PASSED TO DEPUTY CINCPACFLT3

E. J. Bach LTJG. USNR.

20-24 MOORED AS BEFORE.

E. J. Bach LTJG. USNR.

APPROVED:

Wm. Olsen

U.S.N. COMMANDING

EXAMINED:

G. H. Racette

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARIKARA ATF-98 ZONE DESCRIPTION HIOW DATE WED 13 Nov, 19 63
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	050	2	10	SCT	30.00	78	75	5	1800	CU			
02	050	2	10	SCT	29.98	78	75	4	1800	CU			
03	050	2	10	SCT	29.98	78	75	4	1800	CU			
04	040	3	10	SCT	29.98	78	75	5	1800	CU			
05	040	4	10	SCT	29.98	78	75	5	1800	CU			
06	040	4	10	SCT	29.98	79	75	5	1800	CU			
07	040	4	10	SCT	30.00	79	75	5	1800	CU			
08	040	2	10	SCT	30.02	77	71	5	1800	CU			
09	040	2	10	SCT	30.04	80	73	5	1800	CU			
10	040	3	10	SCT	30.04	84	74	5	1800	CU			
11	040	3	10	SCT	30.03	84	72	5	1800	CU			
12	040	5	10	SCT	30.01	85	72	5	1800	CU			
13	040	5	10	SCT	29.97	85	72	5	1800	CU			
14	040	5	10	SCT	29.97	85	72	5	1800	CU			
15	040	5	10	SCT	29.96	84	72	4	1800	CU			
16	040	3	10	SCT	29.96	87	75	4	1800	CU			
17	040	3	10	SCT	29.96	85	78	3	1800	CU			
18	030	3	10	SCT	29.98	83	76	3	1800	CU			
19	030	3	10	SCT	29.98	82	75	3	1800	CU			
20	030	3	10	SCT	30.02	75	71	3	1800	CU			
21	030	3	10	SCT	30.03	75	72	3	1800	CU			
22	030	3	10	SCT	30.02	74	71	3	1800	CU			
23	030	3	10	SCT	30.02	74	72	3	1800	CU			
24	030	3	10	SCT	30.01	74	72	3	1800	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(Date)
TO _____	(Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 MOORED PORT SIDE TO BERTH 517 AFT, U.S. NAVAL BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED, RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND HARBOR CRAFT. MATERIAL CONDITION YOKE IS SET THROUGHOUT THE SHIP. SOPA IS DEPUTY CINCPACFLT.

E. J. Buck LTJG. USNR
04-08 MOORED AS BEFORE. 0705 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE. 0730 MADE DAILY INSPECTION OF THE MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

E. J. Buck LTJG. USNR

APPROVED:

U.S.N. COMMANDING

EXAMINED:

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP

ARIKARA ATF98

WED 13 NOV 63

(Day) (Date) (Month)

08-12 Moored as before 1100 The Commanding Officer held mast and imposed the non-judicial punishment as follows. HUDDLE GLENN H. 589-79-10 PS.3 USN OFFENSE. Disorderly conduct in public. PUNISHMENT. Waring.

B.O. Frank LTJG USN.

12-16 Moored as before

B.O. Frank LTJG USN.


16-20 Moored as before

B.O. Frank LTJG USN.

20-24 Moored as before


B.O. Frank LTJG USN.

APPROVED:



U.S.N. COMMANDING

EXAMINED:



U.S.N. NAVIGATOR

DECK LOG SHEET - TYPE B

USS ARIKARA ATF98 ZONE DESCRIPTION TIOW DATE THURS 14 NOV, 19 63
 (Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	040	2	10	BKN	30.01	73	71	7	1800	CU			
02	040	2	10	BKN	29.99	73	71	7	1800	CU			
03	040	2	10	BKN	29.99	73	71	7	1800	CU			
04	030	3	10	BKN	29.98	74	71	7	1800	CU			
05	030	3	10	SCT	29.98	79	72	5	1800	CU			
06	030	4	10	SCT	29.99	78	71	5	1800	CU			
07	050	3	10	SCT	30.00	84	70	4	1800	CU			
08	050	5	10	SCT	30.02	84	71	5	1800	CU			
09	050	5	10	BKN	30.04	84	71	7	1800	CU			
10	050	4	10	SCT	30.04	90	76	5	1800	CU			
11	050	3	10	BKN	30.02	90	76	6	1800	CU			
12	050	3	10	SCT	30.01	90	76	5	1800	CU			
13	050	3	10	SCT	30.00	88	76	5	1800	CU			
14	050	4	10	BKN	29.98	87	76	6	1800	CU			
15	050	4	10	BKN	29.98	87	76	6	1800	CU			
16	050	4	10	BKN	29.98	87	76	6	1800	CU			
17	050	2	10	BKN	29.98	83	76	6	1800	CU			
18	040	2	10	BKN	29.98	81	75	6	1800	CU			
19	040	2	10	BKN	30.00	80	71	6	1800	CU			
20	040	1	10	BKN	30.02	80	70	6	1800	CU			
21	040	1	10	BKN	30.02	76	72	6	1800	CU			
22	040	1	10	BKN	30.04	74	71	6	1800	CU			
23	040	1	10	BKN	30.04	73	71	6	1800	CU			
24	040	1	10	BKN	30.04	73	71	6	1800	CU			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
 2 - ELECTRONIC
 3 - VISUAL
 4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
50

REMARKS

00-04 Moved port side 5-17 U.S. Naval Base Pearl Harbor Hawaii with standard mooring lines doubled. Material Condition Yoke is set. Ships present include various units of U.S. Pacific Fleet, Gun, Harbor, and Helicopter Craft. Receiving various services from the pier. SOPA is COMNAVBASE Pearl. DEPUTY CIRC PAC FLT.

B.O. Smith USN.

04-08 Moved as before. 0705 Mustered the crew at quarters. Absentee: None.

B.O. Smith
 LTJG USN.

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

[Signature]

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ARIKARA ATF-98THUR 14 NOV, 1963
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 0843 MADE DAILY INSPECTION OF
MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.
MADE WEEKLY TEST OF MAGAZINE SPRINKLING AND FLOODING
SYSTEM. TEST SATISFACTORY.

R. M. Markes, Ensign, USNR

12-16 MOORED AS BEFORE.

R. M. Markes, Ensign, USNR


16-20 MOORED AS BEFORE.

R. M. Markes, Ensign, USNR

20-24 MOORED AS BEFORE.


R. M. Markes, Ensign, USNR.

APPROVED:



U.S.N. COMMANDING

EXAMINED:



U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARIKARA ATF-98 ZONE DESCRIPTION +10W DATE FRI 15 NOV, 19 63
 (Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	-	0	10	BKN	30.01	73	71	6	1800	CU			
02	-	0	10	BKN	30.01	73	71	6	1800	CU			
03	-	0	10	BKN	30.01	73	71	6	1800	CU			
04	-	0	10	BKN	30.01	73	71	6	1800	CU			
05	-	0	10	BKN	30.00	73	71	6	1800	CU			
06	-	0	10	BKN	30.00	74	71	6	1800	CU			
07	040	2	10	BKN	30.00	75	71	6	1800	CU			
08	040	2	10	BKN	30.00	78	74	6	1800	CU			
09	040	2	10	BKN	30.02	81	74	6	1800	CU			
10	040	4	10	BKN	30.02	86	75	6	1800	CU			
11	040	4	10	BKN	30.02	91	80	6	1800	CU			
12	040	4	10	BKN	30.02	93	82	6	1800	CU			
13	040	4	10	BKN	30.00	93	82	6	1800	CU			
14	040	6	10	BKN	30.00	92	80	6	1800	CU			
15	040	6	10	BKN	30.00	89	78	6	1800	CU			
16	040	7	10	SCT	29.97	87	77	4	1800	CU			
17	040	7	10	SCT	29.96	85	76	4	1800	CU			
18	040	6	10	SCT	29.98	82	75	4	1800	CU			
19	040	6	10	SCT	29.98	81	74	4	1800	CU			
20	040	4	10	SCT	30.00	81	74	4	1800	CU			
21	040	4	10	SCT	30.00	80	73	4	1800	CU			
22	040	4	10	SCT	30.02	80	73	4	1800	CU			
23	040	4	10	SCT	30.02	80	73	4	1800	CU			
24	040	4	10	SCT	30.02	80	73	4	1800	CU			

POSITION ZONE TIME

0800
L _____ BY _____
λ _____ BY _____

1200
L _____ BY _____
λ _____ BY _____

2000
L _____ BY _____
λ _____ BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)

SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
315

REMARKS

00-04 MOORED PORT SIDE TO SIERRA-17A, U.S. NAVAL BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS DEPUTY CINCPACFLT WITH OFFICES ASHORE. MATERIAL CONDITION YOKE IS SET THROUGHOUT THE SHIP.

R. M. Markes, Ensign, USNR

04-08 MOORED AS BEFORE. 0705 MUSTERED CREW AT QUARTERS: ABSENTEES: NONE. 0735 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

R. M. Markes, Ensign, USNR

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

[Signature]

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ARIKARA ATF-98

FRI 15 NOV, 1963
(Day) (Date) (Month)

08-12 Moored as before.

J. M. Whinn LTJG, USN

12-16 Moored as before.

J. M. Whinn LTJG, USN

16-20 Moored as before.

J. M. Whinn LTJG, USN

20-24 Moored as before.

J. M. Whinn LTJG, USN

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

A. H. Racette

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARIKARA ATF-98 ZONE DESCRIPTION TIOW DATE SAT 16 NOV, 19 63
(Day) (Date) (Month)AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	040	4	10	BKN	30.00	80	73	6	1800	CU			
02	040	4	10	BKN	29.98	76	71	6	1800	CU			
03	040	4	10	BKN	29.96	76	71	6	1800	CU			
04	040	4	10	BKN	29.94	79	72	6	1800	CU			
05	040	6	10	BKN	29.96	79	72	6	1800	CU			
06	040	6	10	BKN	29.98	79	72	6	1800	CU			
07	040	6	10	SCT	29.99	79	72	5	1800	CU			
08	040	6	10	SCT	30.00	79	72	5	1800	CU			
09	040	4	10	SCT	30.01	82	74	5	1800	CU			
10	040	4	10	SCT	30.02	84	74	5	1800	CU			
11	040	3	10	SCT	30.01	84	74	5	1800	CU			
12	040	3	10	SCT	29.98	85	75	5	1800	CU			
13	040	3	10	SCT	29.96	87	76	5	1800	CU			
14	040	3	10	SCT	29.95	87	76	5	1800	CU			
15	040	3	10	SCT	29.94	89	77	5	1800	CU			
16	040	3	10	SCT	29.93	88	76	4	1800	CU			
17	040	5	10	SCT	29.95	84	76	4	1800	CU			
18	040	5	10	SCT	29.95	81	75	4	1800	CU			
19	040	5	10	SCT	29.95	81	75	4	1800	CU			
20	040	5	10	SCT	29.96	80	74	4	1800	CU			
21	040	5	10	SCT	29.98	80	73	4	1800	CU			
22	040	5	10	SCT	29.98	80	73	4	1800	CU			
23	040	5	10	SCT	29.99	80	73	4	1800	CU			
24	040	5	10	SCT	29.99	80	74	4	1800	CU			

POSITION ZONE TIME
0800
L _____ BY _____
λ _____ BY _____
1200
L _____ BY _____
λ _____ BY _____
2000
L _____ BY _____
λ _____ BY _____
LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED
0000-2400
0

FUEL CONSUMED
0000-2400
252

REMARKS

ΦΦ-Φ4 Moored port side to berth S-17A, U.S. Naval Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet, Yard and District craft. Material Condition Yoker is set. SOPA is DEPUTY, CINCPACFLT.

[Signature] LTJG, USN

Φ4-Φ8 Moored as before.

[Signature] LTJG, USN

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

[Signature]

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ARIKARA ATF-98SAT 16 NOV 63
(Day) (Date) (Month), 1963

08-12 Moored as before. 0805 Mustered the crew on stations. Absentees: none. 0815 Made daily inspection of magazines and smokeless powder samples. Auditing normal. 0918 Set the special sea detail. 0926 Commenced shifting berths in accordance with verbal orders COM-NAVBASE PEARL. 0935 Completed shifting berths to R port side to berth S-17F alongside U.S.S. ABNAKI (ATF-96). 0939 Secured the special sea detail.

A. H. Rautto ChBosn USN

12-16 Moored as before.

A. H. Rautto ChBosn USN


16-20 Moored as before.

A. H. Rautto ChBosn USN

20-24 Moored as before.


A. H. Rautto ChBosn USN

APPROVED:



U.S.N. COMMANDING

EXAMINED:



U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARIKARA ATF-98 ZONE DESCRIPTION +10W DATE SUN 17 NOV , 19 63
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	040	4	10	SCT	29.99	77	73	4	1800	CU			
02	040	4	10	SCT	29.97	77	73	4	1800	CU			
03	040	4	10	SCT	29.94	73	71	3	1800	CU			
04	040	4	10	SCT	29.94	72	71	3	1800	CU			
05	040	4	10	SCT	29.94	72	71	3	1800	CU			
06	040	4	10	SCT	29.94	72	71	3	1800	CU			
07	040	4	10	SCT	29.94	74	71	3	1800	CU			
08	040	3	10	SCT	29.96	81	75	4	1800	CU			
09	040	3	10	SCT	29.96	85	75	4	1800	CU			
10	040	3	10	SCT	29.98	91	80	4	1800	CU			
11	040	3	10	SCT	29.98	91	80	4	1800	CU			
12	045	4	10	SCT	29.96	88	78	5	1800	CU			
13	045	4	10	SCT	29.94	89	77	5	1800	CU			
14	045	4	10	SCT	29.92	90	78	5	1800	CU			
15	045	4	10	SCT	29.90	91	77	5	1800	CU			
16	045	4	10	SCT	29.90	91	77	5	1800	CU			
17	080	4	10	SCT	29.90	87	75	5	1800	CU			
18	080	4	10	SCT	29.90	87	75	4	1800	CU			
19	080	4	10	SCT	29.92	86	75	4	1800	CU			
20	080	4	10	SCT	29.94	86	75	4	1800	CU			
21	080	4	10	SCT	29.96	86	75	4	1800	CU			
22	080	4	10	SCT	29.98	82	75	4	1800	CU			
23	080	4	10	SCT	29.98	80	75	4	1800	CU			
24	080	3	10	SCT	29.96	75	71	5	1800	CU			

POSITION ZONE TIME

0800
L _____ BY _____
λ _____ BY _____

1200
L _____ BY _____
λ _____ BY _____

2000
L _____ BY _____
λ _____ BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)

SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400
0

FUEL CONSUMED
0000-2400
363

REMARKS

antboard


00-04 Moored port side to USS Abnaki (ATF-98) at berth 5-17F, U.S. Naval Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving miscellaneous service from the pier. Material Condition Yoke is set. Ships present include various units of the U.S. Pacific Fleet, Yard and District Craft. SOPA is en route. Deputy CINC PACFLT.

A. H. Lorette ChBosn USN


04-08 Moored as before.

A. H. Lorette ChBosn USN

APPROVED:


U.S.N. COMMANDING

EXAMINED:


U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ARIKARA ATF-98SUN 17 NOV, 1963
(Day) (Date) (Month)

Ø8-12 MOORED AS BEFORE. Ø805 MUSTERED THE CREW ON STATION. ABSENTEES: NONE. Ø835 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

E.C. Bach Jr. LTJG. USNR.

12-16 MOORED AS BEFORE.

E.C. Bach Jr. LTJG. USNR.

16-20 MOORED AS BEFORE.

E.C. Bach Jr. LTJG. USNR.

20-24 MOORED AS BEFORE.

E.C. Bach Jr. LTJG. USNR.

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

[Signature]

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARIKARA ATF-98 ZONE DESCRIPTION TIOW DATE MON 18 NOV, 19 63
(Day) (Date) (Month)
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	045	3	10	SCT	29.96	75	71	5	1800	CU			
02	045	3	10	SCT	29.92	75	71	5	1800	CU			
03	045	4	10	SCT	29.92	75	71	5	1800	CU			
04	080	2	10	SCT	29.94	80	71	4	1800	CU			
05	080	2	10	SCT	29.94	80	72	2	1800	CU			
06	080	2	10	SCT	29.94	80	72	4	1800	CU			
07	040	2	10	SCT	29.94	81	72	3	1800	CU			
08	040	1	10	SCT	29.96	82	73	3	1800	C1/CU			
09	040	1	10	SCT	29.98	84	76	3	1800	C1/CU			
10	040	2	10	SCT	29.98	85	77	3	1800	C1/CU			
11	040	2	10	SCT	29.98	90	84	3	1800	C1/CU			
12	040	2	10	SCT	29.96	90	84	3	1800	C1/CU			
13	040	2	10	SCT	29.94	91	88	3	1800	CU			
14	040	2	10	SCT	29.94	91	88	3	1800	CU			
15	040	2	10	SCT	29.94	91	88	3	1800	CU			
16	040	4	10	SCT	29.92	90	88	3	1800	CU			
17	040	1	10	BKN	29.92	88	80	6	1800	CU			
18	-	0	10	BKN	29.92	85	74	6	1800	CU			
19	-	0	10	BKN	29.92	85	74	6	1800	CU			
20	-	0	10	BKN	29.94	85	74	8	1800	CU			
21	-	0	10	BKN	29.93	84	74	9	1800	CU			
22	-	0	10	BKN	29.93	84	74	9	1800	CU			
23	-	0	10	BKN	29.93	84	74	9	1800	CU			
24	-	0	10	BKN	29.94	84	74	9	1800	CU			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(Date)
(ZT)	(Date)
TO	(Date)
(ZT)	(Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
305

REMARKS

007000Z

00-04 MOORED PORT SIDE TO U.S.S. ABNAKI (ATF 96) AT BERTH 517 FWD, U.S. NAVAL BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED, RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. MATERIAL CONDITION YOKE IS SET THROUGHOUT THE SHIP. SOPA IS DEPUTY CINCPACFLT.

04-08 MOORED AS BEFORE. 0705 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE. 0745 MADE DAILY INSPECTION OF \$ MAGAZINES AND 88 SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

APPROVED:

U.S.N. COMMANDING

EXAMINED:

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP

ARIKARA ATF-98

NOV 18 NOV 1963
(Day) (Date) (Month)

08-12 Moored as before

B. J. Fennick
LTJG USN.

12-14 Moored as before

B. J. Fennick
LTJG USN.


16-20 Moored as before

B. J. Fennick
LTJG USN.

20-24 Moored as before


B. J. Fennick
LTJG USN.

APPROVED:



U.S.N. COMMANDING

EXAMINED:



U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARIKARA ATF-98 ZONE DESCRIPTION +10W DATE TUE 19 NOV, 19 63
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	040	2	10	BKN	29.94	84	74	6	1800	CU			
02	040	2	10	BKN	29.94	84	74	6	1800	CU			
03	040	2	10	BKN	29.94	84	74	6	1800	CU			
04	040	2	10	SCT	29.94	84	75	5	1800	CU			
05	040	2	10	SCT	29.94	84	75	5	1800	CU			
06	040	2	10	SCT	29.95	83	75	3	1800	CU			
07	040	1	10	SCT	29.96	85	78	4	1800	CU			
08	030	1	10	SCT	29.98	85	78	5	1800	CU			
09	-	0	10	SCT	29.98	87	80	5	1800	CU			
10	-	0	10	BKN	29.96	93	86	6	1800	CU			
11	-	0	10	BKN	29.94	94	87	6	1800	CU			
12	-	0	10	SCT	29.92	94	87	5	1800	CU			
13	090	3	10	SCT	29.90	93	86	5	1800	CU			
14	090	3	10	SCT	29.89	93	86	5	1800	CU			
15	090	3	10	SCT	29.89	92	85	5	1800	CU			
16	090	2	10	SCT	29.90	87	80	5	1800	CU			
17	090	2	10	SCT	29.90	82	75	5	1800	CU			
18	090	2	10	SCT	29.92	81	74	5	1800	CU			
19	090	2	10	SCT	29.94	79	72	5	1800	CU			
20	090	1	10	SCT	29.97	80	72	4	1800	CU			
21	030	1	10	SCT	29.99	80	72	4	1800	CU			
22	030	1	10	SCT	30.01	80	73	2	1800	CU			
23	030	1	10	SCT	30.01	80	73	2	1800	CU			
24	030	1	10	SCT	30.01	80	73	2	1800	CU			

POSITION ZONE TIME

0800
L _____ BY _____
λ _____ BY _____

1200
L _____ BY _____
λ _____ BY _____

2000
L _____ BY _____
λ _____ BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)

SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400
0

FUEL CONSUMED
0000-2400
150

REMARKS

00-04 Moored at berth 5-17 outboard of U.S.S. Abnaki (ATF 96), U.S. Naval Base, Pearl Harbor, Hawaii with standard mooring lines dantied. Material Condition Code is set. Ship's present include various ready supplies of U.S. Pacific Fleet. Fuel, Water, Bore and Distinct Craft. Receiving various services from the pier. SOPA is Command Base Pearl. DEPUTY CINC PAC for FLT.

B. D. Trunk USN

04-08 Moored as before. 0705 Muster held even at quarters absent: none. 0728 Set special no detail. 0735 U.S.S. Abnaki (ATF 96) underway from port side. 0743 Moored port side to 5-17 U.S. Naval Base, Pearl Harbor, Hawaii

APPROVED:

[Signature]
U.S.N. COMMANDING

EXAMINED:

[Signature]
U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ARIKARA ATF-98THE 19 NOV 63
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 0817 MADE DAILY INSPECTION
OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS
NORMAL. 1040 SOPA PASSES TO CINCPACFLT.

Rm Markes, Ens, USNR

12-16 MOORED AS BEFORE.

R.M. Markes, Ens, USNR


20-16-20 MOORED AS BEFORE.

RmRm Markes, Ensign, USNR


20-24 MOORED AS BEFORE.

Rm Markes, Ensign, USNR

APPROVED:


U.S.N. COMMANDING

EXAMINED:


U.S.N. NAVIGATOR

DECK LOG SHEET - TYPE B

USS ARIKARA ATF-98 ZONE DESCRIPTION HIOW DATE WED 20 NOV, 19 63
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	030	2	10	SCT	30.00	79	72	2	1800	CU			
02	030	2	10	SCT	29.98	78	71	2	1800	CU			
03	030	2	10	SCT	29.98	78	71	2	1800	CU			
04	030	2	10	SCT	29.98	78	71	2	1800	CU			
05	040	3	10	SCT	29.98	78	71	2	1800	CU			
06	040	3	10	SCT	30.00	79	72	2	1800	CU			
07	040	2	10	SCT	30.02	80	72	2	1800	CU			
08	-	0	10	SCT	30.03	84	73	2	1800	CU			
09	-	0	10	SCT	30.04	87	74	1	1800	CU			
10	-	0	10	SCT	30.04	87	75	1	1800	CU			
11	-	0	10	SCT	30.05	88	77	2	1800	CU			
12	-	0	10	SCT	30.05	87	75	2	1800	CU			
13	-	0	10	SCT	30.04	89	74	3	1800	CU			
14	050	2	10	SCT	30.02	90	74	3	1800	CU			
15	050	2	10	SCT	30.01	85	74	5	1800	CU			
16	050	2	10	BKN	30.00	84	73	8	1800	CU			
17	045	3	10	BKN	29.98	84	72	8	1800	CU			
18	045	3	10	BKN	29.98	82	72	6	1800	CU			
19	045	3	10	BKN	30.00	80	72	6	1800	CU			
20	030	3	10	SCT	30.02	78	72	5	1800	CU			
21	030	2	10	SCT	30.03	78	72	5	1800	CU			
22	030	2	10	SCT	30.04	77	72	5	1800	CU			
23	030	1	10	SCT	30.04	77	72	5	1800	CU			
24	030	1	10	SCT	30.04	77	72	5	1800	CU			

POSITION ZONE TIME

0800
L _____ BY _____
λ _____ BY _____

1200
L _____ BY _____
λ _____ BY _____

2000
L _____ BY _____
λ _____ BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)

SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400
0

FUEL CONSUMED
0000-2400
87

REMARKS

00-04 MOORED PORT SIDE TO BERTH 5-17, U.S. NAVAL BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS ~~DEPUTY~~ CINCPACFLT WITH OFFICES ASHORE. MATERIAL ~~BTM~~ CONDITION YOKE IS SET THROUGHOUT THE SHIP.

R.M. Markes, Ensign, USNR

04-08 MOORED AS BEFORE. 0705 MUSTERED CREW AT QUARTERS. ABSENTEES: NONE. 0727 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

R.M. Markes, Ensign, USNR

APPROVED:

U.S.N. COMMANDING

EXAMINED:

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ARIKARA ATF-98

WED 20 NOV, 1963
(Day) (Date) (Month)

08-12 Moored as before.

J. J. Whinn LTJG, USN

12-16 Moored as before.

J. J. Whinn LTJG, USN

16-20 Moored as before.

J. J. Whinn LTJG, USN

20-24 Moored as before.

J. J. Whinn LTJG, USN

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

A. H. Lucette

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

USS ARIKARA ATF-98 ZONE DESCRIPTION TIOW DATE THUR 21 NOV, 19 63
(Day) (Date) (Month)
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	020	1	10	SCT	30.04	79	72	5	1800	CU			
02	020	1	10	SCT	30.02	76	70	5	1800	CU			
03	020	1	10	SCT	30.00	76	70	5	1800	CU			
04	045	2	10	SCT	30.00	75	69	5	1800	CU			
05	045	2	10	SCT	30.00	73	70	5	1800	CU			
06	045	2	10	SCT	30.02	72	70	5	1800	CU			
07	045	2	10	SCT	30.04	74	70	5	1800	CU			
08	-	0	10	SCT	30.06	76	71	5	1800	CU			
09	-	0	10	SCT	30.08	80	73	5	1800	CU			
10	-	0	10	SCT	30.10	80	73	5	1800	CU			
11	040	4	10	SCT	30.08	89	76	5	1800	CU			
12	040	4	10	SCT	30.06	92	79	5	1800	CU			
13	040	4	10	SCT	30.03	95	80	5	1800	CU			
14	040	4	10	BKN	30.03	94	80	7	1800	CU			
15	040	4	10	BKN	30.01	88	80	8	1800	CU			
16	040	4	10	BKN	30.02	89	80	8	1800	CU			
17	040	4	10	BKN	30.02	86	79	8	1800	CU			
18	040	4	10	SCT	30.02	84	79	5	1800	CU			
19	040	4	10	SCT	30.04	82	79	5	1800	CU			
20	040	2	10	SCT	30.06	80	76	5	1800	CU			
21	040	2	10	SCT	30.07	80	76	5	1800	CU			
22	040	2	10	SCT	30.06	80	76	5	1800	CU			
23	040	2	10	SCT	30.07	80	76	5	1800	CU			
24	040	2	10	SCT	30.05	80	76	4	1800	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
63

REMARKS

φφ-φ4 Moored port side to berth S-17-F, U.S. Naval Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet, Yard and District craft. Material condition Yoke is set. SOPA is CINCPACFLT.

Whitman LTJG, USN

φ4-φ8 Moored as before. φ7φ5 Mustered the crew at Quarters. Absentees: LONG, Albert T., 352 35 95, DC2, USN. φ725 LONG, Albert T., 352 35 95, DC2, USN returned from having been U.A. since φ7φ5 this date.

APPROVED:

Whitman

U.S.N. COMMANDING

EXAMINED:

Whitman LTJG, USN
Racette

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP *ARIKARA ATF-98**THUR 21 NOV 63*
(Day) (Date) (Month)

08-12 Moored as before. 0801 Made daily inspection of magazines and smokeless powder samples. Conditions normal. Made weekly test of magazine sprinkling system. Test satisfactory. 1030 The Summary Court Martial, LTJG. G.O. Emrick, USN opened in the case of SCHRIENER TERRY A; 597-04-69, SN USN. 1100 The Summary Court Martial adjourned to await the action of the convening authority.

A.H. Racette Lt Bosn USN

12-16 Moored as before.

A.H. Racette Lt Bosn USN

16-20 Moored as before.

A.H. Racette Lt Bosn USN

20-24 Moored as before.

A.H. Racette Lt Bosn USN

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

A.H. Racette

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARIKARA ATF-58 ZONE DESCRIPTION +10W DATE FRI 22 NOV, 19 63
(Day) (Date) (Month)
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	040	4	10	SCT	30.06	80	71	4	1800	CU			
02	040	4	10	SCT	30.05	80	71	4	1800	CU			
03	040	3	10	SCT	30.08	78	72	4	1800	CU			
04	040	4	10	SCT	30.06	78	72	4	1800	CU			
05	040	4	10	SCT	30.06	78	72	4	1800	CU			
06	040	4	10	SCT	30.06	78	72	4	1800	CU			
07	040	4	10	SCT	30.06	76	73	4	1800	CU			
08	040	2	10	SCT	30.07	76	73	4	1800	CU			
09	040	2	10	SCT	30.08	81	74	4	1800	CU			
10	050	4	10	SCT	30.05	84	75	4	1800	CU			
11	050	4	10	SCT	30.02	84	75	4	1800	CU			
12	050	5	10	SCT	30.02	82	78	5	1800	CU			
13	050	5	10	SCT	30.00	84	77	5	1800	CU			
14	050	5	10	SCT	29.98	85	78	5	1800	CU			
15	050	5	10	SCT	29.97	85	78	5	1800	CU			
16	050	4	10	SCT	29.97	85	78	5	1800	CU			
17	070	4	10	SCT	29.97	83	72	5	1800	CU			
18	070	4	10	SCT	30.00	83	72	5	1800	CU			
19	070	4	10	SCT	30.00	83	72	5	1800	CU			
20	070	4	10	SCT	29.98	81	71	5	1800	CU			
21	070	3	10	SCT	29.98	81	71	5	1800	CU			
22	070	3	10	SCT	29.99	79	71	5	1800	CU			
23	070	3	10	SCT	29.98	78	71	5	1800	CU			
24	070	4	10	SCT	29.98	78	71	5	1800	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(Date)
(ZT)	
TO _____	(Date)
(ZT)	
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
12

FUEL CONSUMED 0000-2400
189

REMARKS

00-04 Moored port side to berth S-17-F, at U.S. Naval Base, Pearl Harbor Hawaii with standard snoring lines fast doubled. Receiving miscellaneous services from the pier. Material competition Gyke is set. Ships present include various units of the U.S. Pacific Fleet, Yard and District Craft. SOPA is CDR DET 74 R CINC PACFLT.

A. H. Racette CDR USN

04-08 Moored as before. 0705 Mustered the crew at quarters. Absentees: None. 0727 Made daily inspection of magazines and smokeless powder samples. Conditions normal.

A. H. Racette CDR USN

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

[Signature]

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ARIKARA ATF-98FRI 22 NOV, 1963
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 0910 SET SPECIAL SEA AND ANCHOR DETAIL. 0924 UNDERWAY FROM BERTH 517 FWD ENROUTE TO LOCAL OP AREAS IAW VERBAL ORDERS COMNAVBASE PEARL MANEUVERING ON VARIOUS COURSES AND SPEEDS TO CLEAR BERTH AND CONFORM TO THE CHANNEL. 1003 STEADY CSE 155° SPD 8.0 KTS. 1020 ENTERED INTERNATIONAL WATERS. 1028 C/C TO 333° 1035 ENTERED INLAND WATERS. 1042 MANEUVERING VARIOUS CSES AND SPDS. TO CONFORM TO THE CHANNEL AND MAKE BERTH. 1126 MOORED, BERTH B10, U.S. NAVAL BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. 1130 SECURED SPECIAL SEA AND ANCHOR DETAIL.

EC Bach LTJG. USNR.

12-16 MOORED AS BEFORE.

EC Bach LTJG. USNR.

16-20 MOORED AS BEFORE.

EC Bach LTJG. USNR.

20-24 MOORED AS BEFORE

EC Bach LTJG. USNR.

APPROVED:

U.S.N. COMMANDING

EXAMINED:

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARIKARA ATF-98 ZONE DESCRIPTION +10W DATE SAT 23 NOV, 19 63
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	080	3	10	SCT	29.98	76	69	4	1800	CU			
02	080	2	10	SCT	29.98	74	67	3	1800	CU			
03	085	2	10	SCT	29.98	73	66	3	1800	CU			
04	085	2	10	SCT	29.97	73	66	3	1800	CU			
05	085	2	10	SCT	29.97	73	66	3	1800	CU			
06	090	2	10	SCT	29.98	74	67	3	1800	CU			
07	090	2	10	SCT	30.00	72	67	3	1800	CU			
08	090	2	10	SCT	30.02	74	70	3	1800	CU			
09	090	1	10	SCT	30.00	80	74	3	1800	CU			
10	090	1	10	SCT	30.00	82	74	4	1800	CU			
11	090	1	10	SCT	30.00	84	75	4	1800	CU			
12	090	1	10	SCT	30.00	87	75	5	1800	CU			
13	090	1	10	SCT	29.99	89	78	5	1800	CU			
14	090	1	10	SCT	29.96	89	78	5	1800	CU			
15	090	1	10	SCT	29.95	89	78	4	1800	CU			
16	090	1	10	SCT	29.97	89	78	4	1800	CU			
17	090	1	10	SCT	29.99	88	77	4	1800	CU			
18	050	1	10	SCT	30.01	86	77	4	1800	CU			
19	050	1	10	SCT	30.03	85	77	3	1800	CU			
20	050	1	10	SCT	30.04	83	76	2	1800	CU			
21	050	1	10	SCT	30.04	83	76	2	1800	CU			
22	050	2	10	SCT	30.04	82	75	2	1800	CU			
23	050	1	10	SCT	30.04	81	74	2	1800	CU			
24	050	1	10	SCT	30.04	79	73	2	1800	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(Date)
TO _____	(Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
3,167

REMARKS

~~04-04~~ MOORED PORT SIDE TO BERTH B10, U.S. NAVAL BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED, RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. MATERIAL CONDITION YOKE IS SET THROUGHOUT THE SHIP. SOPA IS CINCPACFLT

EC Bach LTJG. USNR

~~04-08~~ MOORED AS BEFORE.

EC Bach LTJG. USNR

APPROVED:

W. H. O'Sullivan
U.S.N. COMMANDING

EXAMINED:

A. H. Rauthe
U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP *ARIKARA ATF-98**SAT 23 NOV 63*
(Day) (Date) (Month)

*08-12 Moored as before 0805 Mustered the
duty station on station's Absence: None. 0805 Made
daily inspection of magazines and smokeless powder
samples. Condition: Normal.*


*B.D. Frank LTJG USN.**12-16 Moored as before**B.D. Frank LTJG USN.**16-20 Moored as before**B.D. Frank LTJG USN.**20-24 Moored as before**B.D. Frank LTJG USN.*

APPROVED:



U.S.N. COMMANDING

EXAMINED:



U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARIKARA ATF-98 ZONE DESCRIPTION TIOW DATE SUN 24 NOV, 19 63
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	040	2	10	SCT	30.04	79	73	2	1800	CU			
02	040	2	10	SCT	30.04	79	73	2	1800	CU			
03	040	2	10	SCT	30.05	79	73	2	1800	CU			
04	040	2	10	SCT	30.06	79	73	2	1800	CU			
05	040	2	10	SCT	30.07	79	73	2	1800	CU			
06	-	0	10	SCT	30.08	75	71	2	1800	CU			
07	-	0	10	SCT	30.09	75	71	2	1800	CU			
08	-	0	10	SCT	30.09	77	72	2	1800	CU			
09	-	0	10	SCT	30.08	79	73	2	1800	CU			
10	-	0	10	SCT	30.08	81	76	2	1800	CU			
11	-	0	10	SCT	30.09	85	76	2	1800	CU			
12	-	0	10	SCT	30.07	88	77	2	1800	CU			
13	-	0	10	SCT	30.06	87	77	2	1800	CU			
14	-	0	10	SCT	30.05	85	76	2	1800	CU			
15	-	0	10	SCT	30.05	85	76	2	1800	CU			
16	-	0	10	SCT	30.04	85	76	2	1800	CU			
17	-	0	10	SCT	30.06	83	75	4	1800	CU			
18	-	0	10	SCT	30.06	84	75	4	1800	CU			
19	-	0	10	SCT	30.08	82	75	5	1800	CU			
20	040	2	10	SCT	30.08	80	74	5	1800	CU			
21	040	2	10	SCT	30.08	79	73	5	1800	CU			
22	040	2	10	SCT	30.09	77	73	5	1800	CU			
23	040	2	10	SCT	30.09	76	72	5	1800	CU			
24	040	2	10	SCT	30.09	76	72	5	1800	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00:04 Moved port side to Buach -10, U.S. Naval Base, Pearl Harbor, Hawaii with standard moving lines doubled. Material handling gear is set. Receiving various services from the pier. Ships present include various units of the U.S. Pacific Fleet, Yard, Harbor, and District Craft. SOPA is DECOM, CINCPACFLT. STE

S. J. Ennis LCDR. USN.

04-08 Moved as before.

S. J. Ennis LCDR. USN.

APPROVED:

[Signature]
U.S.N. COMMANDING

EXAMINED:

[Signature]
U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ARIKARA ATF-9824 NOV, 1963
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 0805 MUSTERED CREW ON STATION.
ABSENTEES: NONE. 0845 MADE DAILY INSPECTION OF MAGAZINES
AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

R M Markee, Ensign, USNR

12-16 MOORED AS BEFORE.

R M Markee, Ensign, USNR


16-20 MOORED AS BEFORE.

R M Markee, Ensign, USNR

20-24 MOORED AS BEFORE


R M Markee, Ensign, USNR

APPROVED:



U.S.N. COMMANDING

EXAMINED:



U.S.N. NAVIGATOR

DECK LOG SHEET - TYPE B

USS ARIKARA ATF-98 ZONE DESCRIPTION +10W DATE NOV 25 NOV, 19 63
 (Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	040	2	10	SCT	30.07	78	72	2	1800	CU			
02	040	2	10	SCT	30.05	78	72	2	1800	CU			
03	040	2	10	SCT	30.04	78	72	2	1800	CU			
04	040	2	10	SCT	30.06	78	72	4	1800	CU			
05	040	2	10	BKN	30.06	78	72	8	1800	CU			
06	040	2	10	BKN	30.08	76	71	8	1800	CU			
07	040	2	10	BKN	30.08	77	73	7	1800	CU			
08	040	5	10	BKN	30.06	77	73	7	1800	CU			
09	080	10	10	BKN	30.06	78	73	7	1800	CU			
10	080	10	10	BKN	30.06	81	73	7	1800	CU			
11	080	4	10	BKN	30.06	81	73	6	1800	CU			
12	080	4	10	BKN	30.06	82	72	6	1800	CU			
13	080	5	10	BKN	30.04	83	72	6	1800	CU			
14	080	5	10	BKN	30.02	81	70	6	1800	CU			
15	080	5	10	BKN	30.02	81	70	6	1800	CU			
16	080	4	10	BKN	30.02	85	78	8	1800	CU			
17	080	4	10	BKN	30.04	83	76	8	1800	CU			
18	080	4	10	BKN	30.04	82	75	8	1800	CU			
19	090	4	10	BKN	30.06	81	74	7	1800	CU			
20	090	3	10	BKN	30.06	81	74	7	1800	CU			
21	090	5	10	BKN	30.06	78	73	7	1800	CU			
22	090	5	10	BKN	30.04	76	71	7	1800	CU			
23	090	5	10	BKN	30.04	76	71	7	1800	CU			
24	090	5	10	BKN	30.04	76	71	7	1800	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
 2 - ELECTRONIC
 3 - VISUAL
 4 - D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 MOORED PORT SIDE TO BERTH B-10, U.S. NAVAL BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES, DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT WITH OFFICES ASHORE. MATERIAL CONDITION YOKE IS SET THROUGHOUT THE SHIP.

R.M. Markes, Ensign, USNR

04-08 MOORED AS BEFORE.

R.M. Markes, Ensign, USNR

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

[Signature]

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ARIKARA ATF-98MON 25 NOV 63
(Day) (Date) (Month)

08-12 Moored as before. 0800 Mustered the crew on station.
Absentees: None. 0950 Made daily inspection of magazines and
smokeless powder samples. Conditions: normal.

JJ McWhinnie LTJG, USN

12-16 Moored as before.

JJ McWhinnie LTJG, USN

16-20 Moored as before.

JJ McWhinnie LTJG, USN

20-24 Moored as before.

JJ McWhinnie LTJG, USN

APPROVED:

U.S.N. COMMANDING

EXAMINED:

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARIKARA ATF-98 ZONE DESCRIPTION T10W DATE TUE 26 NOV, 19 63
(Day) (Date) (Month)AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	090	4	10	BKN	30.04	74	72	7	1800	CU			
02	090	4	10	BKN	30.04	74	72	7	1800	CU			
03	090	4	10	BKN	30.03	73	70	7	1800	CU			
04	090	4	10	BKN	30.03	74	71	7	1800	CU			
05	090	4	10	BKN	30.02	75	69	9	1800	CU			
06	045	4	10	OVC	30.02	75	69	10	1800	CU			
07	045	3	10	BKN	30.00	72	69	9	1800	CU			
08	045	3	10	BKN	30.02	75	72	9	1800	CU			
09	045	3	10	BKN	30.02	78	73	8	1800	CU			
10	045	4	10	BKN	30.04	80	73	8	1800	CU			
11	045	4	10	BKN	30.02	80	73	8	1800	CU			
12	040	9	10	SCT	30.00	82	75	5	1800	CU			
13	040	9	10	SCT	29.98	82	75	3	1800	CU			
14	040	9	10	SCT	29.96	82	75	4	1800	CU			
15	040	9	10	SCT	29.94	82	75	5	1800	CU			
16	040	9	10	SCT	29.92	82	74	5	1800	CU			
17	040	7	10	BKN	29.94	81	74	6	1800	CU			
18	040	7	10	BKN	29.96	79	74	7	1800	CU			
19	040	7	10	BKN	29.98	78	74	7	1800	CU			
20	045	3	10	BKN	30.00	78	72	6	1800	CU			
21	045	3	10	BKN	30.00	78	71	6	1800	CU			
22	045	3	10	BKN	30.00	77	71	6	1800	CU			
23	045	3	10	BKN	30.00	75	71	6	1800	CU			
24	045	3	10	BKN	29.98	73	71	6	1800	CU			

POSITION ZONE TIME

0800
L _____ BY _____
λ _____ BY _____

1200
L _____ BY _____
λ _____ BY _____

2000
L _____ BY _____
λ _____ BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)

SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400
0

FUEL CONSUMED
0000-2400
0

REMARKS

ΦΦ-Φ4 Moored port side to berth B-1Φ, U.S. Naval Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet, Yard and District craft. Material condition Yoke is set. SOPA is CINCPACFLT.

[Signature] LTJG, USN

Φ4-Φ8 Moored as before. Φ7Φ5 Mustered the crew at quarters. Absentees: None. Φ722 Made daily inspection of magazines and smokeless powder samples. Conditions: Normal.

APPROVED:

[Signature]
U.S.N. COMMANDING

EXAMINED:

[Signature] LTJG, USN
[Signature]
U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP *ARIKARA ATF-98**TUE 26 NOV 63*
(Day) (Date) (Month)*08-12 Moored as before.**A. H. Racette Ch Bosn USN**12-16 Moored as before.**A. H. Racette Ch Bosn USN**16-20 Moored as before.**A. H. Racette Ch Bosn USN**20-24 Moored as before.**A. H. Racette Ch Bosn USN*

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

A. H. Racette

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

ISS ARIKARA ATF-98 ZONE DESCRIPTION +10W DATE WED 27 NOV, 19 63
(Day) (Date) (Month)
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	050	2	10	SCT	29.98	75	71	3	1800	CU			
02	050	2	10	SCT	29.96	75	71	3	1800	CU			
03	050	2	10	SCT	29.94	75	71	3	1800	CU			
04	050	2	10	SCT	29.92	75	71	3	1800	CU			
05	050	2	10	SCT	29.92	75	71	3	1800	CU			
06	050	2	10	SCT	29.94	75	71	3	1800	CU			
07	050	3	10	BKN	29.96	78	72	6	1800	CU			
08	050	3	10	BKN	29.96	78	72	7	1800	CU			
09	050	2	10	BKN	29.96	78	72	6	1800	CU			
10	050	2	10	BKN	29.96	78	72	6	1800	CU			
11	050	2	10	BKN	29.94	78	72	8	1800	CU			
12	050	2	10	BKN	29.96	79	74	8	1800	CU			
13	050	2	10	BKN	29.94	84	76	8	1800	CU			
14	050	2	10	BKN	29.92	84	76	8	1800	CU			
15	050	2	10	BKN	29.90	85	77	8	1800	CU			
16	050	4	10	BKN	29.90	85	77	8	1800	CU			
17	050	4	10	BKN	29.92	83	75	8	1800	CU			
18	050	4	10	BKN	29.92	83	75	8	1800	CU			
19	050	4	10	BKN	29.90	83	75	8	1800	CU			
20	050	3	10	R	29.93	82	73	8	1800	CU			
21	050	2	10	R	29.93	75	70	8	1800	CU			
22	050	2	10	BKN	29.94	75	70	8	1800	CU			
23	050	2	10	BKN	29.94	75	70	9	1800	CU			
24	050	2	10	BKN	29.94	76	69	8	1800	CU			

POSITION ZONE TIME

0800
L _____ BY _____
λ _____ BY _____

1200
L _____ BY _____
λ _____ BY _____

2000
L _____ BY _____
λ _____ BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)

SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400
0

FUEL CONSUMED
0000-2400
0

REMARKS

00-04 Moored port side to berth B-10 U.S. Naval Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving miscellaneous services from the pier. Material condition code is set. Ships present include various units of the U.S. Pacific Fleet, Yard and District Craft. SOPA is Deputy CINC PACFLT. R

A. H. Laette C/Born USN

04-08 Moored as before. 0705 Mustered the crew at quarters. Absentees: none.

A. H. Laette C/Born USN

APPROVED:

U.S.N. COMMANDING

EXAMINED:

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ARIKARIA ATF-98WED 27 NOV 63
(Day) (Date) (Month), 1963

08-12 MOORED AS BEFORE. 0807 MADE DAILY
INSPECTION OF MAGAZINES AND SMOKELESS
POWDER SAMPLES. CONDITIONS NORMAL.

E.C. Bucher LTJG. USNR.

12-16 MOORED AS BEFORE.

E.C. Bucher LTJG. USNR.

16-20 MOORED AS BEFORE.

E.C. Bucher LTJG. USNR.

20-24 MOORED AS BEFORE.

E.C. Bucher LTJG. USNR.

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

[Signature]

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARIKARA ATF-98 ZONE DESCRIPTION +10W DATE THUR 28 NOV, 19 63
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	090	1	10	BKN	29.93	74	68	9	1800	CU			
02	090	1	10	BKN	29.93	74	68	9	1800	CU			
03	090	1	10	BKN	29.93	74	68	9	1800	CU			
04	-	0	10	BKN	29.90	74	68	8	1800	CU			
05	-	0	10	SCT	29.90	74	68	5	1800	CU			
06	-	0	10	SCT	29.90	74	68	3	1800	CU			
07	-	0	10	SCT	29.91	74	68	3	1800	CU			
08	-	0	10	SCT	29.89	74	68	3	1800	CU			
09	-	0	10	SCT	29.89	78	72	3	1800	CU			
10	-	0	10	SCT	29.87	78	72	3	1800	CU			
11	-	0	10	SCT	29.94	79	73	3	1800	CU			
12	-	0	10	SCT	29.81	79	73	2	1800	CU			
13	070	3	10	SCT	29.79	81	73	2	1800	CU			
14	070	3	10	SCT	29.77	81	73	2	1800	CU			
15	070	3	10	SCT	29.80	81	73	2	1800	CU			
16	070	3	10	SCT	29.82	84	74	5	1800	CU			
17	070	3	10	BKN	29.85	84	74	6	1800	CU			
18	060	4	10	BKN	29.87	82	73	8	1800	CU			
19	060	4	10	BKN	29.89	81	73	8	1800	CU			
20	060	4	10	BKN	29.91	80	72	8	1800	CU			
21	060	4	10	BKN	29.91	80	72	8	1800	CU			
22	060	4	10	SCT	29.91	79	70	5	1800	CU			
23	060	4	10	SCT	29.91	79	70	5	1800	CU			
24	060	4	10	SCT	29.92	79	70	5	1800	CU			

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)

SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. A _____

MILES STEAMED
0000-2400
0

FUEL CONSUMED
0000-2400
0

REMARKS

00-04 MOORED PORT SIDE TO BERTH B10 U.S. NAVAL BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. MATERIAL CONDITION YOKE IS SET THROUGHOUT THE SHIP. SOPA IS CINCPACFLT.

E.C. Bunch LTJG. USNR

04-08 MOORED AS BEFORE.

E.C. Bunch LTJG. USNR

APPROVED:

W.H. Olsen

U.S.N. COMMANDING

EXAMINED:

A.H. Facette

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ARIKARA ATF-98THUR 28 NOV 63
(Day) (Date) (Month)

08-12 Moved as before 0800 Mustered the duty section. Absentee: none. 1010 Made daily inspection of magazines and smokeless powder samples. Condition Normal.

B.D. Emule
LTJG USN.

12-16 Moved as before

B.D. Emule
LTJG USN.

16-20 Moved as before

B.D. Emule
LTJG USN.

20-24 Moved as before

B.D. Emule
LTJG USN.

APPROVED:

U.S.N. COMMANDING

EXAMINED:

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARIKARA ATF-98 ZONE DESCRIPTION +10W DATE FRI 29 NOV, 19 63
 (Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	060	4	10	SCT	29.94	79	70	5	1800	CU			
02	060	4	10	SCT	29.94	76	70	5	1800	CU			
03	060	3	10	SCT	29.92	76	70	5	1800	CU			
04	040	1	10	SCT	29.90	76	70	2	2000	CU			
05	040	1	10	SCT	29.88	76	70	2	2000	CU			
06	040	1	10	SCT	29.88	76	70	2	2000	CU			
07	040	2	10	SCT	29.91	76	70	1	2000	CU			
08	040	1	10	SCT	29.91	76	70	1	2000	CU			
09	040	1	10	SCT	29.92	76	70	1	2000	CU			
10	040	1	10	SCT	29.95	79	73	1	2000	CU			
11	040	1	10	SCT	29.95	81	75	1	2000	CU			
12	045	2	10	SCT	29.96	85	74	4	1800	CU			
13	045	2	10	SCT	29.94	85	73	5	1800	CU			
14	045	1	10	SCT	29.92	85	74	4	1800	CU			
15	045	2	10	SCT	29.92	86	75	4	1800	CU			
16	045	2	10	SCT	29.94	86	74	4	1800	CU			
17	045	2	10	SCT	29.94	85	75	4	1800	CU			
18	045	2	10	SCT	29.94	82	75	4	1800	CU			
19	045	2	10	SCT	29.96	80	75	4	1800	CU			
20	045	2	10	SCT	29.96	80	75	4	1800	CU			
21	045	2	10	SCT	29.98	79	75	4	1800	CU			
22	045	2	10	SCT	29.98	78	74	4	1800	CU			
23	045	2	10	SCT	30.00	77	73	4	1800	CU			
24	045	3	10	SCT	30.02	76	70	4	1800	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
 2 - ELECTRONIC
 3 - VISUAL
 4 - D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 Moved port side to Berth-10, U.S. Naval Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving various services from the pier. Ships present include various units of the U.S. Pacific Fleet, Fuel Harbor and Distinct Craft. Material Condition Yoke is set. SOPA in CIVILIAN FLT.

S.O. Smith, LTJG, USN.

04-08 Moved as before 0705 Mustered the crew at quarters. Absentee: None 0725 Made daily inspections of magazines and smokeless powder samples. Condition Normal.

APPROVED:

[Signature]
 U.S.N. COMMANDING


EXAMINED:

S.O. Smith, LTJG, USN.
[Signature]
 U.S.N. NAVIGATOR

ADDITIONAL REMARKS


UNITED STATES SHIP ARIKARA ATF-98FRI 28 NOV 1963
(Day) (Date) (Month)08-12 MOORED AS BEFORE.Rm Markes, Ensign, USNR12-16 MOORED AS BEFORE.Rm Markes, Ensign, USNR16-20 MOORED AS BEFORE.Rm Markes, Ensign, USNR20-24 MOORED AS BEFORE.Rm Markes, Ensign, USNR

APPROVED:



U.S.N. COMMANDING

EXAMINED:



U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARIKARA ATF-98 ZONE DESCRIPTION T10W DATE SAT 30 NOV, 1963
(Day) (Date) (Month)AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	045	2	10	SCT	30.00	75	69	4	1800	CU			
02	045	2	10	SCT	30.00	75	69	4	1800	CU			
03	045	2	10	SCT	30.00	74	69	3	1800	CU			
04	045	2	10	SCT	29.98	76	70	3	1800	CU			
05	045	2	10	SCT	29.96	76	70	3	1800	CU			
06	050	2	10	SCT	29.98	76	70	3	1800	CU			
07	050	2	10	SCT	30.00	75	69	2	1800	CU			
08	-	0	10	SCT	30.02	75	69	2	1800	CU			
09	-	0	10	SCT	30.03	77	71	2	1800	CU			
10	-	0	10	SCT	30.03	77	71	3	1800	CU			
11	-	0	10	SCT	30.03	81	72	3	1800	CU			
12	045	1	10	SCT	30.02	85	72	4	1800	CU			
13	050	3	10	SCT	30.01	87	75	4	1800	CU			
14	050	3	10	BKN	29.99	90	78	7	1800	CU			
15	050	3	10	BKN	29.98	92	78	7	1800	CU			
16	050	3	10	BKN	29.98	91	77	7	1800	CU			
17	040	4	10	BKN	29.96	88	75	7	1800	CU			
18	040	4	10	BKN	29.98	82	74	7	1800	CU			
19	040	4	10	BKN	30.00	82	74	7	1800	CU			
20	040	2	10	BKN	30.02	80	73	7	1800	CU			
21	040	2	10	BKN	30.02	80	73	7	1800	CU			
22	040	2	10	BKN	30.04	80	73	7	1800	CU			
23	040	2	10	BKN	30.07	79	72	7	1800	CU			
24	040	2	10	BKN	30.07	79	72	7	1800	CU			

POSITION ZONE TIME
0800
L _____ BY _____
λ _____ BY _____
1200
L _____ BY _____
λ _____ BY _____
2000
L _____ BY _____
λ _____ BY _____
LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED
0000-2400
0

FUEL CONSUMED
0000-2400
0

REMARKS

00-04 MOORED PORT SIDE TO BERTH B-10, U.S. NAVAL BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT WITH OFFICES ASHORE. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. MATTER MATERIAL CONDITION Rm YOKE IS SET THROUGHOUT THE SHIP.

Rm Marker, Ensign, USNR

04-08 MOORED AS BEFORE. 0705 MUSTERED CREW AT QUARTERS. ABSENTEES: NONE. 0752 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

APPROVED:

U.S.N. COMMANDING

EXAMINED:

Rm Marker, Ensign, USNR
A. J. Rault

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ARIKARA ATF-98

SAT 30 NOV 63
(Day) (Date) (Month) 19

08-12 Moored as before.

JJ Whinn LTJG, USN

12-16 Moored as before

JJ Whinn LTJG, USN

16-20 Moored as before

JJ Whinn LTJG, USN

20-24 Moored as before.

JJ Whinn LTJG, USN

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

A.H. Lucette

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH